Issue No 04 | Jul 2017

National University Cancer Institute, Singapore (NCI



www.ncis.com.sg

08 BREAKTHROUGHS

Cardiac Protection for Patients Undergoing Left Breast Radiation Therapy

10 DISCOVERIES

The Asian Myeloma Network A Platform for Collaborative Research on Myeloma Centred on Asia

13 SPECIAL FEATURE

An In-depth Look into Treating Head & Neck Cancers A World Head & Neck Day Special

Behind the Scenes PHARMACY

12-07

10-63

E2

82-05

E3-03



SPARK by NCIS is published biannually by the National University Cancer Institute, Singapore (NCIS). 5 Lower Kent Ridge Road, Singapore 119074

Please address comments to ncis_comms@nuhs.edu.sg

Chief Medical Advisor Professor Chng Wee Joo

Chief Medical Editor Dr Chee Cheng Ean

Editorial Team Assistant Professor Choo Bok Ai Dr David Tan Dr Tang Siau-Wei Dr Yong Woon Chai SSN Lim Hui Li NCIS Corporate Communications • Amanda Ang

- Claire Chan
- Sylvia Fong

Publishing Agency Artnexus Design Pte Ltd



(65) 6773 7888



CancerApptLine@nuhs.edu.sq



www.ncis.com.sg

www.facebook.com/ NationalUniversityCancer InstituteSingapore



www.youtube.com/NCISNUHS

Copyright © is held by the publishers. All rights reserved. Reproduction in whole or in parts without permission is strictly not allowed.

MCI (P) 140/11/2016

Opinions expressed in SPARK by NCIS are solely those of the writers and are not necessarily endorsed by the NUH, NUHS and their related companies. They are not responsible or liable in any way for the contents of the advertisements, articles, photographs or illustrations contained in this publication. Contents are not to be reproduced without the written permission of the NCIS.




National University Cancer Institute, Singapore A member of the NUHS

IN THIS ISSUE

EDITOR'S NOTE

03

FEATURE STORY





BREAKTHROUGHS


8 Cardiac Protection for Patients Undergoing Left Breast Radiation Therapy

DISCOVERIES


The Asian Myeloma Network -A Platform for Collaborative Research on Myeloma Centred on Asia

CSI SHOWCASE

2 Ovarian Cancer Research -Molecular Subtype Specific Management for Ovarian Cancer Diagnostic Stratification and Novel Therapeutic Targets



SPECIAL FEATURE



EDUCATION

P Training in Paediatric Oncology at the National University Health System



PERSONALITY FEATURE

A Day in the Life of a Paediatric Oncology Fellow



SPOTLIGHT

3 NCIS Highlights (Jan - Jun 2017)

SUPPLEMENTS

24 Awards



Doctors' Promotions



Specialist & Tumour

Group Listing

PUBLICATIONS



Research Publications by the NCIS (Jan - Jun 2017)

UPCOMING EVENTS



NCIS Events & Programmes (Jul - Dec 2017) Dear friends and colleagues,

We are now mid-way through 2017 and SPARK, a biannual magazine by the National University Cancer Institute, Singapore (NCIS) is now in its fourth publication. In this issue, we go behind-the-scenes at the Pharmacy@NCIS, one of the key services of the NCIS. It serves all outpatients at the Cancer Centre as well as patients who have been warded in the National University Hospital (NUH), including both adult and paediatric haematology-oncology patients, blood and marrow transplant patients, patients on clinical trials at the NCIS and also patients suffering from rheumatology and renal diseases who require immunosuppressant therapy.

In this issue, we also introduce a new section, "CSI Showcase", which will highlight research teams and their work at the Cancer Science Institute (CSI) of Singapore in the National University of Singapore (NUS). The CSI is dedicated to investigating the pathogenesis of cancer and creating innovative, safer methods of diagnosis and treatment. Many of us at the NCIS work closely with researchers at the CSI, and some of us even have labs there. The collaborative efforts between the NCIS and CSI truly embrace the term, "from bench-to-bedside."

Continuing on the research front, our Radiation Oncology team looks into heart shielding for radiation in left breast cancer and we also gain insight into the Asian Myeloma Network, a collaborative platform for myeloma research in Asia, led by Centre Director of the NCIS, Professor Chng Wee Joo.

One of the unique aspects of the NCIS is that we are the only cancer centre in Singapore providing treatment and care for both adult and paediatric patients with cancer. We have an active Division of Paediatric Haematology-Oncology and in this issue, we look into the training and life of a Paediatric Oncology Fellow at the NCIS.

Although we are mid-way through 2017, there are many more exciting events and updates planned for the second half of 2017 within the NCIS and with our community and institutional partners. More importantly, the NCIS celebrates its 10year anniversary in 2018 so, save the date!

Dr Chee Cheng Ean Consultant Chief Medical Editor

Behind the Scenes PHARMACY @NCIS


There are many unsung heroes at the NCIS. One such team is our Pharmacy@NCIS, which works quietly in the background to support the medication needs of our cancer patients. This feature talks about their work and the challenges they face.

What do we do?

The Pharmacy@NCIS is located on Level 9 of the National University Hospital (NUH) Medical Centre, conveniently positioned next to the Chemotherapy Centre. It is made up of a team of oncology pharmacists, pharmacy technicians and senior pharmacy assistants. Together, we serve the medication needs of our patients with cancer who receive care at the National University Cancer Institute, Singapore (NCIS)'s Cancer Centre, VIVA-University Children's Cancer Centre and inpatient wards. Our vision is to become a centre of excellence for oncology pharmacy practice as well as in the training and education of oncology pharmacists and pharmacy technicians.

At the Pharmacy@NCIS, there are dozens of systems and processes in place to ensure that our patients receive their medicine in a safe and efficient manner.

THE DRUG MAKING PROCESS



The above timeline is an estimate and does not include activities such as clinical discussions with doctors, attending to queries or other activities that punctuate the entire process.

Our day-to-day operations

Dispensing is often the face of any pharmacy and remains an essential function of it. Our pharmacy technicians ensure that the correct medications are picked and packed according to prescriptions. Our pharmacists draw on a huge reservoir of clinical knowledge to ensure that the medications prescribed are the right dose, for the right indication and are devoid of any harmful interactions. They also provide advice on medicine administration, side-effects and answer medication-related queries from patients and caregivers. Detailed counselling is provided for patients on their first-cycle of chemotherapy, with emphasis on side effects, symptoms management and other supportive care issues.

Our pharmacy team is responsible for ensuring that chemotherapy and other supportive therapy orders are appropriate for our patients. This includes reviews of the patient's clinical laboratory parameters, medication history along with careful evaluation of medication properties. The pharmacy handles chemotherapy orders for all outpatient and inpatient patients with cancer. It is also responsible for cytotoxic drug orders for patients in the NUH with non-cancer diagnoses.

The Pharmacy@NCIS is the only site for the compounding and preparation of cytotoxic agents in the NUH. This is an arduous, highly laborious and infrastructure-intensive process requiring specialised facilities and highly-skilled operators.

Oncology Pharmacy - Beyond compounding and dispensing

Our Oncology Pharmacy on-call team is on standby 24/7 to attend to any oncology-related queries. The team is also equipped to be activated on the ground should there be a need for emergency cytotoxic drug preparation or direct intervention and troubleshooting.

Apart from these, our oncology pharmacists are also involved in a plethora of projects and responsibilities that span the length and breadth of healthcare delivery, technology and innovation.

Head to the end of this feature to read more about what some of our staff are involved in!

Convenience for our patients

The Pharmacy@NCIS also has plans to reach patients outside of the hospital boundaries as increasingly, with more research and innovation, treatments, transactions and information can be facilitated off-site as opposed to solely in the pharmacy premises. In partnership with the NCIS Home Care team and as part of the "NCIS on the Go" programme*, more treatments can be delivered to patients outside of hospital grounds. The pharmacy is involved in reviewing all drug orders and ensures the accuracy and timely delivery of products. We also work closely with a multidisciplinary team of healthcare professionals to expand the list of medicines that can be supplied through this programme.

World-class facility

An aspiring world-class institute like the NCIS deserves a world-class oncology pharmacy as one of its key pillars. Pharmacists, pharmacy technicians and pharmacy assistants here at the Pharmacy@ NCIS will not stop striving to make that a reality.

*Please visit www.ncis.com.sg for more information about this programme.

READ MORE ABOUT OUR DAY-TO-DAY TASKS AND SPECIAL PROJECTS



Compounding chemotherapy drugs

A s part of the team at the Pharmacy@ NCIS, I am responsible for the compounding of chemotherapy drugs and other cytotoxic agents for our patients. A combination of rigorous training in aseptic

preparation, safe-handling and cleanroom maintenance allows me to ensure that our patients receive safe and quality medicine. Appropriate medication storage information and administration guidelines are provided to our nursing colleagues for each and every preparation that leaves the pharmacy.

- Mr Willie Chong Wei Yi, Pharmacy Assistant Supervisor

Frontline of clinical trials

am part of the team handling close to a hundred clinical trials at the Pharmacy@ NCIS. Our daily tasks include the packing and dispensing of investigational products (i.e. the drug or medication being tested in the trial). We hold pre-site initiation meetings



to resolve any issues before the site is selected. At study initiation meetings, we work with the study team to establish the workflow and conduct trainings for other pharmacists. Essentially, we aim for dispensing errors and protocol deviations to be kept to a minimum by implementing a system-oriented approach.

- Ms Foo Mi Chelle, Senior Pharmacist (Clinical)

From mar The Ph (P&T) for an ir of all th

From market to formulary

The Pharmacy and Therapeutics (P&T) Committee is responsible for an institution's formulary (a list of all the medications available in the hospital). A sub-committee at the Pharmacy@NCIS was formed to focus on haematology/oncology. In addition to managing the formulary, it looks into various reports, practice

trends, and other factors surrounding the effective, safe, and cost-efficient use of medications. We create summary monographs to give voting members an unbiased understanding of the proposed medications.

- Dr Patrick Thomas Wong, Principal Pharmacist (Clinical)

Eye on the future

Technology is at the core of any big pharmacy operation and the Pharmacy@NCIS is continually pushing the boundaries of technology applications. In the last couple of years, the CIMR or (Cytotoxic Immunosuppressive Medication Record) has been rolled-out, largely replacing the dated



practice of handwritten orders. As our technology team continues to enhance the CIMR's capabilities, they concurrently develop interfaces between the CIMR and future developments such as bar-coded medication vials and automated compounding.

- Mr Robin Lee Jia Guang, Pharmacist



Improving patient convenience the smart way

The NUH myMed application is a game changer and it helps patients take ownership of their medications. The Pharmacy@NCIS will process partially collected orders that are sent in advance by patients via the app or email. Pharmacists will review the orders and

ensure appropriate checks are done before medication collection. Patients can either collect their medications in person at the pharmacy or opt to receive it at home for a nominal fee. Apart from contributing significantly to patients' convenience and shorter waiting times at the pharmacy, the application also reminds them to take their medications.

- Ms Chong Zai Qin, Pharmacist

EDUCATION AND TRAINING

Our pharmacy staff are our resource. We invest heavily in the training and development of our pharmacists and pharmacy technicians. It is essential to equip our people with the right skill sets and knowledge to best serve our patients.

The Clinical Pharmacist Preparatory Programme (CPPP) is a platform that provides evidence-based, patient-centred medication therapy management training with inter-disciplinary teams. The programme has allowed me to work and learn with pharmacists who specialise in a myriad of disciplines. The CPPP has further strengthened and broadened my clinical foundation.



- Mr Lee Huwai Ern, Pharmacist



The Certified Pharmacy Technician Course (CPTC) provided me with a strong foundation in the essentials of pharmacology, aseptic preparation, and oncology practice. It has also equipped me with tools to take on supervisory roles. The educational experience has taught me how to operate in synergy with the pharmacists so that we can together achieve better

outcomes for our patients.

- Ms Jastina Osman, Pharmacy Technician 1

The Ministry of Health National Pharmacy Residency Programme provides the opportunity for me to learn from skilled preceptors and a wide array of clinical mentors who are equipped with a wealth of specialist knowledge and experience. The various rotations have immersed me in diverse patient care settings and empowered me to achieve a higher level of professional and clinical competence.



- Mr Chan Zhi Yao, Senior Pharmacist



Article by **Ms Lim Siew Woon** Head, Division of Pharmacy Oncology, NCIS

Ms Lim Siew Woon received her undergraduate pharmacy degree from the National University of Singapore (NUS) followed by her postgraduate Masters of Science degree in clinical pharmacy from the Queen's University of Belfast, UK. She successfully met the requirements for certification with the Board of Pharmaceutical Specialties (USA) as an Oncology Pharmacy Specialist. Upon completion of a 12-month oncology pharmacy training at the Johns Hopkins Hospital, Baltimore, USA, she returned to Singapore and successfully obtained her certificate of specialist registration in oncology pharmacy. Siew Woon is a consultant pharmacist with the Pharmacy Department at the National University Hospital and heads the Pharmacy@NCIS. As the Programme Director of Pharmacy Residency Post-graduate Year 1 (PGY1), she also holds an adjunct assistant professorship position at the Department of Pharmacy, NUS. Her clinical interests lie in blood and marrow transplantation and supportive care management in oncology. Her other pharmacy areas of interest include pharmacy education, pharmacy automation and medication safety in oncology.



Mr Aaron Jason Martin Pharmacist, Pharmacy@NCIS

Mr Aaron Jason Martin graduated from the NUS with a bachelor's degree (Honours) in Pharmacy under the National University Health System (NUHS) Pharmacy scholarship. Upon graduation, he completed his pre-registration training at the National University Hospital (NUH). Following his registration with the Singapore Pharmacy Council, he joined NUH and is currently a practising pharmacist with the National University Cancer Institute, Singapore (NCIS). He has a keen interest in clinical innovation, informatics and the optimisation of healthcare systems to improve accessibility, safety and efficiency. In his free time, he can be found either engaged in some form of sporting activity or curled up with a good book. BREAKTHROUGHS

Figure 1- Active Breathing Coordinator used for deep inspiratory breath hold. It consists of a nasal clamp, mouth bite, respiratory monitoring device and a patient controlled valve.

Cardiac Protection for Patients Undergoing

Breast cancer is the leading cancer amongst women in Singapore and up to 80 per cent of women will require adjuvant breast radiation therapy as part of their treatment and management of breast cancer. Interestingly enough, there is a slight preponderance (1.02-1.2 relative risk) for leftsided breast cancers based on published literature, but the cause remains unknown. Out of all patients with breast cancers, an estimated 44 per cent will have left-sided breast cancer and require radiation treatment. The laterality poses challenges for the radiation oncologist because of the heart's location (behind the left chest wall) and how radiation is delivered to the chest wall and/or breast.

Radiation to the chest wall/breast is delivered optimally through two radiation fields, one medially and one laterally, at a tangent to the ventral surface of the body. This allows all breast tissue/bed of the breast to be treated completely with minimal radiation dose to other tissues. There are two organs which will receive significant dosage, other than our intended target – the lungs, and in the case of the left-sided breast tumour, and the heart (Figure 2). The amount of treated lung is usually under five percent, and this poses minimal toxicities for the patient.

In the case of the heart, the situation is slightly more complicated. Every organ has a tolerance dose (TD) for radiation and this is defined by TD 5/5 which is the dose that will result in five per cent of problems at five years. The endpoint that was used traditionally for the heart was pericarditis, and it is not common in the doses we use for breast radiation. However, as radiation science advanced, we discovered an excess

LEFT BREAST RADIATION THERAPY

of incidence of ischemic cardiac disease due to the radiation. The additional incidence was quantified to be 7.4 per cent per additional Gray (Gy - unit for radiation) of mean cardiac dose and started from about five years post-treatment with no apparent threshold. The Early Breast Cancer Trialist Group also concluded that the relative risk was 1.7 times at 15 years for a patient who had adjuvant radiation therapy for left breast cancer compared to right breast cancer. However, this additional incidence of ischemic cardiac disease did not increase the mortality rates of patients.




Figure 2 - Dosimetric plan for a left-sided breast cancer radiation treatment. Note the close apposition of the heart to the chest wall and the large amount of heart in the radiation fields.

BREAKTHROUGHS




Figure 3 - Dosimetric plans to demonstrate the reduction in cardiac doses at similar CT cuts through the chest wall for DIBH (left-sided images) vs free-breathing (right-sided images) patients with left breast cancer.

As breast oncologists, we feel that any dose, however minimal, to the heart is too much. As part of the solution to this aspect of breast treatment, the Department of Radiation Oncology at the National University Cancer Institute, Singapore (NCIS), has invested in an Active Breathing Coordinator (ABC) which is a patient-controlled, ventilation control tool to achieve deep inspiratory breath hold (DIBH). Simply put, the tool features a clamp that is applied to the nostril, and a mouthpiece over which the patient has to form a seal with her mouth. This mouthpiece is connected to a respiratory monitoring device which detects the respiratory phase and has a valve which is controlled by the patient via a handheld device (Figure 1). The patient is coached to breathe regularly and when she is in full inspiration, to activate the device which blocks the valve and prevents expiration. The idea is to treat the chest wall/breast with the patient in full inspiration reliably, as when one is in full inspiration, the chest wall is furthest from the heart.

The mean dose reduction with the use of the ABC (or deep inspiratory breast hold, DIBH) is well published showing dosimetric benefits with regards to cardiac mean doses. One publication demonstrated an almost 50 per cent reduction in mean cardiac dose from 5.9Gy to 3Gy. Our data supports a similar amount of benefit for most patients.

Since we introduced this new technique in 2014, we have since treated about 300 patients with left-sided breast cancers (Figure 3). There was a steep learning curve with this technique, and it also increased the mean time on the CT simulator from 23 minutes (for a right breast cancer simulation), to 103 minutes. We performed a comprehensive permanent improvement plan (CPIP) to address the time challenges with the technique and as a result, have reduced mean time on the simulator by 50 per cent. On analysing the results of the CPIP with the breast team and the Head of Department, a decision was made last year to purchase more equipment to allow us to make ABC the standard of care for all patients with left-sided breast cancer undergoing radiation treatment at the NCIS.

References

- 1. Darby SC, Ewertz M, McGale P et al. Risk of ischemic heart disease in women after radiotherapy for breast cancer. N Engl J Med. 2013 Mar 14;368(11):987-98. doi: 10.1056/NEJMoa1209825.
- 2. Early Breast Cancer Trialists' Collaborative Group: Effect of radiotherapy after breast-conserving surgery on 10-year recurrence and 15-year breast cancer death: Meta-analysis of individual patient data for 10 801 women in 17 randomised trials. Lancet 378:1707-1716, 2011.
- 3. Patt DA¹, Goodwin JS, Kuo YF et al. Cardiac morbidity of adjuvant radiotherapy for breast cancer. J Clin Oncol. 2005 Oct 20;23(30):7475-82. Epub 2005 Sep 12.
- Sung K¹, Lee KC¹, Lee SH et al. Cardiac dose reduction with breathing adapted radiotherapy using self respiration monitoring system for leftsided breast cancer. Radiat Oncol J. 2014 Jun;32[2]:84-94. doi: 10.3857/ roj.2014.32.2.84. Epub 2014 Jun 30.



Article by **Dr Koh Wee Yao** Consultant Department of Radiation Oncology, NCIS

Dr Koh Wee Yao is currently a consultant radiation oncologist in the Department of Radiation Oncology at the National University Cancer Institute, Singapore (NCIS). His specialty interests are in breast, lung and brain cancers.



and

Dr Choo Bok Ai Senior Consultant Department of Radiation Oncology, NCIS

Dr Choo Bok Ai obtained his medical degree from the University of Aberdeen in the United Kingdom. He completed his internal medicine and advanced specialist training in clinical oncology in the UK and hold postgraduate qualifications from the Royal College of Physicians (MRCP) and the Royal College of Radiologists (FRCR). He was awarded the Certificate of Completion of Specialist Training in Birmingham, United Kingdom. **DISCOVERIES**

THE ASIAN MYELOMA NETWORK

A Platform for Collaborative Research on Myeloma Centred on Asia

Multiple myeloma is a type of bone marrow cancer resulting from the expansion of clonal post-germinal centre B-cells. It is the second most common blood cancer in the world and results in a significant burden on the patient's health due to the rising prevalence resulting from better diagnosis, better treatment with longer survival for the patient and the high cost of treatment.

At the centre of tremendous progress in the last 10 years has been the success of drug development in myeloma with close to 10 new drugs approved during this time. This has more than doubled the survival of myeloma patients from an average of approximately four years to approximately 10 years now. However, these advances present a number of problems to practising physicians in Asia.

- These new drugs are extremely costly. The cost of treatment per month ranges from S\$5,000 to S\$10,000.
- Access to drugs is a challenge. The drugs are usually available only after a number of years after approval in the United States (US) and Europe. Even when it is available, it is very expensive and hence not affordable to the majority of patients.
- 3) With the large variety of therapeutic choices, the treatment of myeloma is becoming complex. Therefore it is necessary and important, that physicians are constantly updated and educated on the various options of treatment.
- 4) The resources available to different countries in Asia are highly varied. Often, recommendations from the West are not practical and irrelevant to many Asian countries.

- 5) Most of the large trials that led to the approval of these new drugs included few Asian patients. It is often unclear if these drugs can cause unique side effects in Asian patients.
- 6) Most of the drug combinations tested in the US or Europe utilise combinations that include two or more of these expensive novel agents. These combinations are almost impossible to deliver in Asia due to the exorbitant cost. As a result, we need to have more data on combinations that are more feasible for Asia.

Based on the above, it is clear that we need a platform in Asia to do the following:

- 1) Provide early access to promising novel drugs at no cost.
- 2) Study drug combinations that are relevant to Asia and also provide safety data pertaining to Asians using these new drugs and combinations.
- 3) Educate physicians.
- 4) Provide guidelines and expert opinions on myeloma management that cater for countries with different resources.
- 5) Study unique features of myeloma in Asia.

It is with the above in mind that the Asian Myeloma Network (AMN) was established in 2011, after a meeting in Singapore. It was formed under the auspices of the International Myeloma Foundation and involves key opinion leaders from China, Japan, South Korea, Singapore, Taiwan, Hong Kong and Thailand.



Picture taken at the inaugural AMN meeting.

Our first project was to study the clinical spectrum of myeloma in Asia. This study shows that essentially, the characteristics of myeloma in Asia are the same as in the West¹. However, the incidence of myeloma is significantly lower than those in the West. This suggests that factors relating to genetics may perhaps be protecting Asians. A genetic study to identify such factors will be initiated by the AMN this year.

Next, we published a guideline that proposes optimal management of myeloma based on available resources². This is a unique guideline that is very useful in Asia due to the wide heterogeneity in the social economic status of the different countries. This guideline will be updated this year to take into account the new developments in myeloma diagnosis, prognosis and treatment.

The education of physicians was led by colleagues from China and will be expanded into the Inaugural Asian Myeloma Workshop this year.

The most challenging project, the setting-up of an Asian trial network for myeloma, was led by Professor Chng Wee Joo, Director of the National University Cancer Institute, Singapore (NCIS). The AMN initiated its first trial in December 2014 and completed the recruitment of 136 patients in February 2017. An interim report of this trial, utilising pomalidomide and dexamethasone, in relapsed myeloma, was recently presented in December 2016 at the American Society of Hematology Annual Meeting. This trial allowed 136 patients in Asia to get early access to pomalidomide for free, and about 50 per cent of the patients, who did not have effective treatment options, responded to the treatment and survived way beyond what was expected with no significant toxicity. As a result of this success, other pharmaceutical companies have approached the

References

 D Tan, WJ Chng, T Chou, W Nawarawong, J Hwang, CS Chim, Wenming C, BGM, Durie, JH Lee. Management of Multiple Myeloma in Asia: Consensus Statement from the Asian Myeloma Network. Lancet Oncol 2013; 14: e571-581. AMN to conduct other clinical trials. Indeed, six more trials will be initiated in the coming one to two years (Table 1).

For more information on the AMN, please visit: http://bit.ly/asianmyelomanetwork

Code	Regimen	New/ Relapse	Numbers	Remarks
AMN002	KTD	Relapse	50	ALLG Collab
AMN003	PCD vs PD	Relapse	60 ea arm	
AMN004	Dara-TD	Relapse	100	
AMN005	Dara-VD	New NTE	60	
AMN006	Duvulumab - PCD	Relapse	40	Collab with Australia

Table 1 - Upcoming AMN Trials.

Legend:

- **K** = Carfilzomib, **T** = Thalidomide, **D** = Dexamethasone, **P** = Pomalidomide, **C** = Cyclophosphamide,
- **Dara** = Daratumumab, \mathbf{V} = Velcade,
- **NTE** = Non-transplant Eligible,
- **ALLG** = Australasian Leukaemia and Lymphoma Group



Article by **Prof Chng Wee Joo** Director & Senior Consultant, NCIS

Prof Chng obtained his medical degree from the University of Leeds, and did his internal medicine residency in the United Kingdom. His fellowship training in haematology was completed in Singapore before he obtained an A*STAR international fellowship in 2004 for a research fellowship at the Mayo Clinic, in multiple myeloma genetics. His current research is very translational and involves the use of highresolution global genomic techniques to understand biology, identify drug targets, understand drug resistance and improve disease prognosis in haematological malignancies, with the ultimate aim of improving patient outcomes and personalising treatment.

K Kim, JH Lee, JS Kim, CK Min, SS Yoon, K Shimizu, T Chou, H Kosugi, K Suzuki, W Chen, J Hou, J Lu, XJ Huang, SY Huang, WJ Chng, D Tan, G Teoh, J Chim, W Nawarawong, N Siritanaratkul, BG Durie. Clinical profiles of multiple myeloma in Asia – an Asian Myeloma Network (AMN) study. Am J Hem 2014; 89: 751-9.



Principal Investigator: Dr Ruby Huang Yun-Ju

pithelial Ovarian Cancer (EOC) is the most lethal gynaecological malignancy in the world. In Singapore, EOC is the fifth most common cancer in women and carries the highest mortality rate among gynaecological cancers. From three longitudinal registries of EOC patients during the period from 1980 to 2004, the overall survival rate of EOC patients in the United States, Australia, and Canada has not improved and remained unchanged. This stagnation of the overall survival outcomes of EOC patients can be attributed to the lack of better strategies in overcoming chemotherapy resistance and the slow innovation in targeted and personalised therapeutics for high-risk EOC patients. Therefore, there is an urgent need to develop better therapeutic strategies to improve the disease outcome. EOC, in particular, high-grade serous carcinoma (HGSC), has been shown to exhibit diverse molecular heterogeneity based on gene expression profiling by the Australian and the TCGA cohorts. This molecular heterogeneity has been demonstrated to be very robust and reproducible by a large-scale meta-analysis study consisting of 1,538 samples from our group. At least five distinct gene-expression based molecular subtypes (GEMS) of EOC have been identified. The C1 and C5 subtype from the Australian dataset corresponds to the Mesenchymal and Proliferative subtype from the TCGA dataset and the Mes and Stem-A subtype from the 1,538 meta-analysis dataset. These GEMS have been correlated with patient survival. The C1/Mesenchymal/ Mes and C5/Proliferative/Stem-A GEMS are associated with poorer survival outcomes. These GEMS may also be relevant to therapeutic stratification such as antiangiogenesis or anti-microtubule agents.

The vision of my group is to set up a translational programme with the aim of developing molecular subtype specific therapeutic strategies for EOC patients. To achieve this vision, the goal is to establish pre-clinical pipelines for the development of novel therapeutic targets to particular molecular subtypes, C1/Mesenchymal/Mes and C5/Proliferative/Stem-A. To date, we have identified relevant pathways that could be targeted as therapeutic options for these two GEMS. AXL, a receptor tyrosine kinase, is the therapeutic conduit for the C1/Mesenchymal/ Mes subtype. C5/Proliferative/Stem-A subtype displays preferential chemotherapy sensitivity towards microtubule depolymerising agents such as vincristine and vinorelbine.

Through a collaboration with Dr David Tan, a consultant at the National University Cancer Institute, Singapore (NCIS), specialising in gynaecologic cancers, we have further brought this concept into reality by designing an international multicentre Phase II single arm clinical trial. This trial will stratify EOC patients who are resistant to the platinum-based chemotherapy by testing their archival tumour samples for the GEMS features. Patients being subtyped as C5/Proliferative/Stem-A will be enrolled into the trial for the treatment of oral vinorelbine.

References

- 1. Singapore Cancer Registry Interim Annual Registry Report Trends in Cancer Incidence in Singapore 2009-2013 National Registry of Diseases Office (NRDO).
- Vaughan S, Coward JI, Bast RC Jr, Berchuck A, Berek JS, Brenton JD, Coukos G, Crum CC, Drapkin R, Etemadmoghadam D, Friedlander M, Gabra H, Kaye SB, Lord CJ, Lengyel E, Levine DA, McNeish IA, Menon U, Mills GB, Nephew KP, Oza AM, Sood AK, Stronach EA, Walczak H, Bowtell DD, Balkwill FR. Rethinking Ovarian Cancer: Recommendations for Improving Outcomes Nat Rev Cancer. Sep 23, 2011; 11(10): 719–725.1.



Dr Ruby Huang Yun-Ju Principal Investigator Cancer Science Institute of Singapore

Dr Ruby Huang is a clinician scientist in the Department of Obstetrics & Gynaecology at the NUH and also a Principal Investigator at the Cancer Science Institute of Singapore (CSI Singapore) in NUS, where she leads a team focusing on research in the roles of Epithelial-Mesenchymal Transition (EMT) in gynaecological cancers, particularly ovarian cancer. The overall aim of her research is to develop novel therapeutics for ovarian cancer through a better understanding of the specific driving mechanisms for each molecular subtype.

AN IN-DEPTH LOOK INTO TREATING HEAD & NECK CANCERS

A World Head & Neck Day Special

ancer in the head and neck region constitutes about 10 per cent of all cancers in Singapore. At the National University Cancer Institute, Singapore (NCIS), the most commonly seen head and neck cancer is nasopharyngeal carcinoma (NPC). The other common head and neck cancers are thyroid, oral cavity and laryngeal cancers (Table 1).

surgery, the risks to impaired speech and swallowing can be significant. If surgery is performed, it often requires an open approach such as a mandibulotomy, which requires the splitting of the jaw bone. Free flaps or pedicled flaps are required to cover the defects. The patient therefore undergoes a major operation.




Figure 1 – Diagram illustrating the mouth and jaw area.

More recently, we have approached these tumours using trans-oral robotic surgery. Previously, the major difficulties of accessing the tumour trans-orally was the inability to dissect around the threedimensional planes. With the robot, we are able to operate with a three-dimensional view and achieve maximal dexterity with the wristed actions despite the confined space.



NUMBER OF CASES 1998 - 2007 BY SITES




Table 1 - Frequency of head and neck cancers in Singapore. (Singapore Cancer Registry data, consolidated by A/Prof Thomas Loh)

OROPHARYNGEAL CANCER

Surgical Advancements through Trans-Oral Robotic Surgery

Oropharyngeal cancers are becoming increasingly more common. This may in part be due to the human papillomavirus (HPV) associations. It usually consists of the sub-sites of tonsils and the base of the tongue (Figure 1). Treatment of these areas is often associated with significant morbidity, especially if the tumours are large. Regardless of whether treatment is by radiation (RT), combined chemotherapy-RT, or by

Advantages of trans-oral robotic surgery for oropharynx tumours

Efficacious, likely to be greater than 90 per cent fiveyear overall survival for T1 lesions (early stage cancers)

Length of stay in hospital shorter than mandibulotomy free flap approaches

Risk of impaired swallowing is reduced

Tumour recurrence may be treated with further RT or another trans-oral surgery

LARYNGEAL CANCER

New Developments with Trans-Oral Laser Surgery

aryngeal cancers are the fourth most common cancers of the head and neck in the NCIS. The majority of these cancers occur in the vocal cords (Figure 2). The ideal management of these cancers involve elimination of the tumour with preservation of laryngeal functions – namely breathing, speaking and protection of the airway while swallowing.

Laser laryngeal microsurgery has been described as early as in the 1970s. Over the past 20 years, further development in laser and microscope technology has allowed controlled application of laser via the mouth. With a magnified view, pinpoint precision and excellent haemostasis, transoral laser surgery has quickly superseded previous open partial laryngectomy approaches. In the vast majority of patients, this translates to lesser morbidity, short hospitalisation and improved voice outcomes compared to traditional surgical approaches.



Figure 2 - Largyngeal carcinoma - Left glottic squamous cell carcinoma.

Advantages of trans-oral laser surgery for laryngeal tumours

Efficacious, likely to be greater than 90 per cent five year overall survival for T1 lesions (early stage cancers)

Short hospitalisation stay of one to two days

Swallowing often not impaired

Tumour recurrences may be treated by further RT or another trans-oral laser surgery



Article by **Dr Donovan Eu** Senior Resident Department of Otolaryngology -Head & Neck Surgery, NUH


Dr Donovan Eu graduated from the School of Medicine, NUS. He is a Senior Resident with the Department of Otolaryngology - Head & Neck Surgery at the NUH. He has just completed his residency and aims to pursue head and neck surgical oncology.

and



A/Prof Thomas Loh Deputy Director (Clinical) and Senior Consultant Division of Surgical Oncology (Head & Neck Surgery), NCIS

A/Prof Thomas Loh graduated from the Faculty of Medicine, NUS. He underwent residency in Otolaryngology at the NUH and subsequently trained in Head and Neck Cancer Surgery at the Princess Margaret Hospital and Toronto General Hospital in Canada. A/Prof Loh's practice is concentrated only on patients with head and neck cancers. He performs surgery of the thyroid gland, parotid/salivary glands and other major complicated surgery to treat cancers of the oral cavity, pharynx and larynx. He also treats cancer of the larynx using laser surgery. He also performs highly complicated surgery for tumours of the anterior skull base, or tumours at the junction just below the brain.



THYROID CANCER

A Treatment Update for Doctors

The 2015 American Thyroid Association (ATA) thyroid cancer guidelines have recommended a paradigm shift in the extent of thyroid surgery for selected patients, modified risk stratification for recurrence, selective use of radioactive iodine therapy, surveillance of the disease, and the role of systemic therapy in the management of the radioiodinerefractory progressive disease.

The surgical option of either total thyroidectomy or lobectomy has been expanded to include thyroid cancer between one centimetre (cm) and four cm in size, without extra-thyroidal extension or clinically apparent lymph node metastases, in addition to thyroid cancers smaller than one cm. The basis for this recommendation is the similar survival and recurrence rates reported in several studies, and the higher surgical complication rates reported with more extensive surgery.


The 2015 modified initial risk stratification after surgery, to estimate the risk of recurrence, has taken into account the risk associated with specific thyroid cancer histology, multifocality, genotype, the extent of vascular invasion, and the extent of metastatic lymph node involvement (Figure 1). This highlights the importance of having pertinent details in histology reports including the number of lymph nodes involved, the size of largest metastatic focus in involved lymph node, the number of vascular invasion foci in follicular thyroid cancer, and whether follicular variant papillary thyroid cancer is encapsulated or infiltrative. Ongoing evaluation changes the risk stratification and guides the intensity/ frequency of surveillance for disease, and the degree of TSH (thyroid stimulating hormone) suppression.

The 2015 ATA guidelines continue to recommend selective use of radioactive iodine (RAI) therapy in patients with thyroid cancer one to four cm in size, only in the setting of aggressive histology or vascular invasion. The recommended dose of I-131 for remnant ablation has been shifted from "30-100mCi" to "30mCi" for T3 disease (size more than four cm or with minimal extra-thyroidal extension). In the presence of cervical lymph node metastases, "30-150mCi" of I-131 therapy can be administered depending on the extent of lymph node disease and associated tumour histological features; lower doses are recommended without extensive lymph node metastases. In the setting of T4 disease (gross extrathyroidal extension) or distant metastases, the recommended I-131 dose remains at 100-200mCi. However, if the patient is elderly or has renal impairment, I-131 dose of 100-150mCi should be considered.

There have been numerous clinical trials evaluating the treatment response of radioiodine refractory progressive metastatic thyroid cancer to systemic therapies. The two FDA-approved tyrosine kinase inhibitors that have shown progression-free survival (PFS) benefits are sorafenib and lenvatinib with PFS of 10.8 months and 18.3 months respectively.

Risk of Structural Disease Recurrence

(In patients without structurally identifiable disease after initial therapy)



FTC, extensive vascular invasion (≈ 30-55%) pT4a gross ETE (≈ 30-40%) pN1 with extranodal extension, >3 LN involved (≈ 40%) PTC, >1 cm, TERT mutated ± BRAF mutated* (>40%) pN1, any LN > 3cm (≈ 30%) PTC, extrathyroidal, BRAF mutated* (≈ 10-40%) PTC, vascular invasion (≈ 15-30%) Clinical N1 ($\approx 20\%$) pN1, > 5 LN involved ($\approx 20\%$) Intrathyroidal PTC, < 4cm, BRAF mutated* (≈ 10%) pT3 minor ETE (≈ 3-8%) pN1, all LN < 0.2 cm (≈ 5%) pN1, \leq 5LN involved (\approx 5%) Intrathyroidal PTC, 2-4 cm (≈ 5%) Multifocal PTMC (≈ 4-6%) pN1 without extranodal extension, ≤ 3LN involved (2%) Minimally invasive FTC (≈ 2-3%) Intrathyroidal, < 4cm, BRAF wild type* (≈1-2%) Intrathyroidal unifocal PTMC, BRAF mutated*, (≈ 1-2%) Intrathyroidal, encapsulated, FV-PTC (≈ 1-2%) Unifocal PTMC (≈ 1-2%)

Figure 1 - Risk of structural disease recurrence in thyroid cancer patients after initial therapy (1).

References

- Haugen et al. 2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer. Thyroid 2016;26(1):1-133.
- 2. Adam et al. Extent of surgery for papillary thyroid cancer is not associated with survival: an analysis of 61,775 patients. Ann Surg 2014;260:601–605.
- Barney et al. Overall and cause-specific survival for patients undergoing lobectomy, near-total, or total thyroidectomy for differentiated thyroid cancer. Head Neck 2011; 33:645–649.
- Nixon et al. Thyroid lobectomy for treatment of well differentiated intrathyroid malignancy. Surgery 2012;151:571–579.
- 5. Bilimoria et al. Extent of surgery affects survival for papillary thyroid cancer. Ann Surg 2007;246:375–381.
- Tuttle et al. Estimating Risk of Recurrence in Differentiated Thyroid Cancer After Total Thyroidectomy and Radioactive Iodine Remnant Ablation: Using Response to Therapy Variables to Modify the Initial Risk Estimates Predicted by the New American Thyroid Association Staging System. Thyroid 2010;20(12):1341-1349.
- 7. Jonklaas et al. Radioiodine therapy in patients with stage I differentiated thyroid cancer. Thyroid 2010;20:1423–1424.
- Lamartina et al. Low risk differentiated thyroid cancer and radioiodine remnant ablation: a systematic review of the literature. J Clin Endocrinol Metab 2015;100:1748–1761.
- 9. Ruel et al. Adjuvant radioactive iodine therapy is associated with improved survival for patients with intermediate-risk papillary thyroid cancer. J Clin Endocrinol Metab 2015;100:1529–1536.
- Mallick et al. 2012 Ablation with low-dose radioiodine and thyrotropin alfa in thyroid cancer. N Engl J Med 2012;366:1674–1685.
- 11. Chow et al. 2006 Local and regional control in patients with papillary thyroid carcinoma: specific indications of external radiotherapy and radioactive iodine according to T and N categories in AJCC 6th edition. Endocr Relat Cancer 2006;13:1159–1172.
- Han et al. Effects of low-dose and high-dose postoperative radioiodine therapy on the clinical outcome in patients with small differentiated thyroid cancer having microscopic extrathyroidal extension. Thyroid 2014;24:820–825.
- 13. Schlumberger et al. 2012 Strategies of radioiodine ablation in patients with low-risk thyroid cancer. N Engl J Med 2012;366:1663–1673.
- Kruijff et al. Decreasing the dose of radioiodine for remnant ablation does not increase structural recurrence rates in papillary thyroid carcinoma. Surgery 2013;154:1337–1344.

- 15. Jonklaas et al. Outcomes of patients with differentiated thyroid carcinoma following initial therapy. Thyroid 2006;16:1229–1242.
- 16. Podnos et al. 2007 Survival in patients with papillary thyroid cancer is not affected by the use of radioactive isotope. J Surg Oncol 2007;96:3–7.
- 17. Sabra et al. Higher administered activities of radioactive iodine are associated with less structural persistent response in older, but not younger, papillary thyroid cancer patients with lateral neck lymph node metastases. Thyroid 2014;24:1088–1095.
- Brose et al. 2014 Sorafenib in radioactive iodine-refractory, locally advanced or metastaticdifferentiated thyroid cancer: a randomised, double-blind, phase 3 trial. Lancet 384:319–328.
- Schlumberger et al. 2014 A phase 3, multicenter, double-blind, placebocontrolled trial of lenvatinib (E7080) in patients with 1311-refractory differentiated thyroid cancer (SELECT). J Clin Oncol 32:55. (Abstract).



Article by **Dr Samantha Yang** Consultant, Division of Endocrinology, University Medicine Cluster, NUH

Dr Yang obtained her medical degrees from the National University of Singapore (MBBS), the Royal College of Physicians, United Kingdom and the Masters of Medicine (S'pore). She later completed her advanced specialist training in Endocrinology at the NUH. She then completed a fellowship at the Memorial Sloan Kettering Cancer Centre in New York where she was involved in clinical research and clinical work pertaining to thyroid nodule and thyroid cancer.

Her interests are in the evaluation of patients with thyroid nodules and the treatment of thyroid cancer patients. She is involved in genetic studies for the evaluation of patients with thyroid nodules. She also has a keen interest in the treatment of metabolic bone disease.

NASOPHARYNGEAL CANCER Improving Outcomes through Radiation Therapy

N asopharyngeal cancer (NPC) is an endemic cancer in Singapore, and has one of the highest survival rates amongst the common cancers here. Even patients with locally advanced Stage IV NPC can expect a survival rate of more than 80 per cent at three years. However, many of our long-term survivors can suffer from long-term side-effects such as dry mouth, poor dentition or low hormone levels. Knowing that most of our NPC patients have a good survival outcome, our challenge is to cure them without leaving them with the burden of unnecessary long-term toxicity.

Since 2006, we have adopted intensity modulated radiation therapy (IMRT) as the standard of care for our NPC patients. We have seen improved tumour control with much diminished side effect profile. Moist desquamation and skin necrosis in patients have become a rarity because the dose painting in IMRT allows for the skin radiation dose to be reduced significantly. In the same vein, IMRT allows dose sparing to the parotid glands, allowing patients to regain saliva output and revert to a normal diet more quickly after radiation treatment.

To ensure a uniformly high quality patient experience and outcome, all our processes undergo rigorous quality assurance. We utilise image-guidance during the radiation sessions which ensures the accuracy of the radiation delivery to within 2mm.

We have also implemented a comprehensive team approach to our NPC protocol, working closely with our multidisciplinary team, including medical oncologists, dental surgeons, speech therapists, dietitians, nurses and social workers. Our NPC protocol includes a




Figure 1 - An IMRT plan demonstrating dose painting where radiation dose matches turnour volume.



comprehensive dental clearance to reduce the risk of osteoradionecrosis (ORN) after radiation. Our patients are also reviewed by dietitians to ensure their weight loss during treatment is kept to a minimal.

Our Head and Neck team is constantly looking to further improve the supportive care of our NPC patients through upcoming clinical trials. This includes investigating the use of topical silicone based gel to further reduce rates of radiation dermatitis. Another trial aims to look at the role of L-glutamine, an amino acid to reduce rates of radiation mucositis. We are also currently looking at correlating PET/MRI with tumour signal during radiation therapy to see how we can further tailor the radiation treatment regime to tumour characteristics.



Article by **Dr Francis Ho** Consultant Department of Radiation Oncology, NCIS

Dr Francis Ho's practice interests include hepatobiliary cancer, ophthalmic cancer, head and neck cancer particularly nasopharyngeal cancer, and general oncology. He is currently the radiation oncology champion for the NUH Hepatobiliary Tumour Group and the Upper Gastrointestinal Tumour Group.

Dr Ho has published scientific papers in respected peer-reviewed medical journals and has contributed a chapter on the management of nasopharyngeal cancer in an international nasopharyngeal cancer textbook. He is active in teaching radiotherapy diploma students, medical students and radiation oncology residents, and is an Assistant Professor at the Yong Loo Lin School of Medicine, NUS.



The NPC oneHeart Support Group during one of their Chinese New Year gatherings. Many support group members also make time to be a Befriender.

COPING WITH CANCER

The Befriender's Programme for NPC patients

ead and neck cancers are highly curable with radiation therapy. Despite the use of intensity modulated radiation therapy (IMRT), acute and longterm side effects of radiation therapy are common. Almost all patients will experience weight loss, acute dermatitis, mucositis and dysphagia of varying degrees.

The extent to which doctors can help in this area is limited to providing advice on treatment, side effects and lifestyle changes. As they do not have the personal experience of going through cancer, they are unable to fully understand what patients, survivors and caregivers go through.

The Befriender's Programme was created to provide cancer patients and their caregivers continuous support beyond their regular consultations and treatment in the hospital. It began in 2012 as a simple study to determine if peer-to-peer support can help to provide emotional relief and improve patients' coping strategies. NPC cancer survivors who underwent the same treatment modalities were introduced to newly diagnosed patients to provide one-to-one support in self-care, in addition to providing a listening ear. The programme starts within three weeks of the patient's first radiation treatment session, allowing survivors to help the newly diagnosed cope with the initial acute emotional stress of being diagnosed with cancer. Many of the cancer survivor volunteers work full time and take leave to meet newly diagnosed patients at the Radiation Therapy Centre where the patients undergo daily radiation. Over the last five years, this programme has received numerous positive feedback from cancer patients and caregivers.

Based on the success of the Befriender's Programme, a further clinical study will be conducted to survey the impact of peer-to-peer support in NPC patients undergoing radiation treatment with or without chemotherapy. The study is seeking grant approval at this point and will be the first study within this region to understand the impact of peer-to-peer support in cancer.



Article by **Dr Choo Bok Ai** Senior Consultant Department of Radiation Oncology, NCIS

Dr Choo Bok Ai obtained his medical degree from the University of Aberdeen in the United Kingdom. He completed his internal medicine and advanced specialist training in clinical oncology in the UK and hold postgraduate qualifications from the Royal College of Physicians (MRCP) and the Royal College of Radiologists (FRCR). He was awarded the Certificate of Completion of Specialist Training in Birmingham, United Kingdom.

Dr Choo is passionate about the emotional well-being of his patients. He has pioneered several programmes and initiatives in this area, one of them being the Befriender's Programme. He has also helped establish and develop two cancer support groups.

TRAINING IN PAEDIATRIC ONCOLOGY

at the National University Health System

Motivation for an excellent training programme in Paediatric Oncology

"The good physician treats the disease; the great physician treats the patient who has the disease" - Sir William Osler.

It is our hope and mission to train and nurture great physicians. On this premise, we recognise that paediatricians are first to be well-grounded in the general practice before he/she is a specialist in Oncology. Emeritus Professor Wong Hock Boon (1923 to 2008), Singapore's Father of Paediatrics, role modelled this in his lifetime work as a great paediatrician and teacher; he is also the Father of Paediatric, Oncology and Bone Marrow Transplant in Singapore.

Tradition of teaching - Forging new frontiers

Between 1965 and 1970, Emeritus Professor Wong, the Founder Director of the School of Postgraduate Medical Studies (now Division of Graduate Medical Studies) at the National University of Singapore (NUS), set up the Master of Medicine Course and paved the way for the Master of Medicine Examinations.

He began a tradition of grooming local specialists to serve the nation. In the last 50 years, new frontiers continued to be forged leading to a diversity of training programmes (Table 1) designed to meet the needs of learners, locally and from the region; for undergraduates and postgraduates.

In 1999, we saw the birth of clinical fellowship in Paediatric Oncology in Singapore. We trained our first foreign medical graduate (FMG) from the Philippines, Dr Mae Concepcion Dolendo (1999 to 2003). Dr Dolendo returned to Davao, Mindanao, the Philippines in 2004 and pioneered the practice of Paediatric Oncology there, improving cure rates of childhood leukaemia from zero per cent to approximately 50 to 60 per cent.

Many others followed suit. We have since trained 11 FMGs (the Philippines, 6; Brunei, 1; Myanmar, 1; India, 3) and successfully groomed two resident physicians.

Currently, there are two clinical fellowships offered to FMGs: Paediatric Oncology and Paediatric Blood/Marrow Transplant. Since 2011, we have also established a Diploma in Paediatric Cancer Care, an extension of the clinical fellowship, offered to outstanding clinical fellows who wish to deepen their skills in the practice. In 2017, an ACGME-I affiliated senior residency programme in paediatric haematology/oncology, one of six paediatric sub-specialty training programmes (neonatology, nephrology, intensive care, gastroenterology/hepatology, cardiology), leading to a dual specialist certification in Paediatric Medicine and Paediatric Haematology-Oncology specialist accreditation was established.

For outstanding and interested residents, there are opportunities to pursue research training through the Master of Clinical Investigation (MCI), NUS and PhD programmes.



Globalisation – An amalgamation of pedagogies

As a centre of excellence, the programme attracts and manages patients from a variety of racial, ethnic, social and cultural backgrounds; other than local patients (residents), patients from these countries such as Malaysia, Indonesia, Vietnam, Philippines, India, Sri Lanka, East Timor, China, Middle East, America and the United Kingdom seek care with us. This provided great opportunities and a rich environment for teaching and learning. Clinical teachers who are experienced and adept in the knowledge of content, pedagogy and technology instruct and share experiences daily. This is especially useful for FMGs who will return to resource constrained practices in their home countries and in which strict protocol based management may serve them poorly.

EDUCATION

Table 1: Training Programmes in Paediatric Oncology

Training Programmes (Year started)	Duration	Application eligibility	Requirements	Certification	Funding
Electives (Observership) (1999)	1 to 4 weeks	Physicians, dental surgeons, nurses, pharmacists, allied health, medical students	Testimonials, recommendations, statement of intent, others	NA	Nil
Clinical fellowships in Paediatric Oncology and Paediatric Blood/ Marrow Transplantation (1999)	1 to 2 years	Paediatricians	SMC registration	NUHS, Singapore	Available (competitive)
Diploma in Paediatric Cancer Care (Staff Registrar Scheme) (2011)	2 years	Paediatricians	SMC registration	AM and CPCH, Singapore	Available (competitive)
Senior Residency Programme in Paediatric Medicine and Paediatric Haematology/ Oncology (2017)	3 + 1 years	MMED (Paediatrics, Singapore), MRCPCH (UK)	SMC registration, RAC/ SSTC approval	SAB/ MOH, Singapore	Available (competitive)

SMC: Singapore Medical Council; NUHS: National University Health System; AM: Academy of Medicine; CPCH: College of Paediatrics and Child Health; MMED: Master of Medicine; MRCPCH Membership of the Royal College of Paediatrics and Child Health; RAC: Residency Advisory Committee; SSTC: Sub-Speciality Training Committee; SAB: Specialist Accreditation Board; MOH: Ministry of Health

Table 2: Continued Medical Education (CME) in Paediatric Oncology

Event	Timing	Duration	Participation	
St Jude Viva Forum	Annual (March)	2 days	By registration	
Viva-Asia Pre-Forum Workshop	Annual (March)	2 days	By registration	
Viva-Asia Leukaemia Working Group	Annual (March)	1 day	Members only	
Viva Asia Blood/ Marrow Transplantation (VABMT) Consortium Meeting/ School	Annual (March)	1 day	Members only	
Viva-Asia Brain and Solid Tumour Working Group Meeting	Annual (March)	1 day	Members only	
Viva-Asia Nursing Symposium	Annual (March)	1 day	Members only	
Viva-CCF Learning Exchange	Annual (March)	Half day	By registration	
South East Asia Retinoblastoma Symposium	Annual (March)	1 day	By registration	
South East Asia Tumor Board on Cure4Kids platform	Weekly (Thursday)	1 hour (0900 – 1000h)	By registration	
Paediatric Oncology Group (Singapore) Tumour Board	Monthly (3rd Friday)	1 hour (1230 – 1330h)	Members only	
Peer Review Learning	Monthly	1 hour	Members only	
Combined Leukaemia and Solid Tumour Meeting	Weekly (Wednesday)	1 hour (1500 – 1600h)	Members only	
Paediatric BMT Meeting	Weekly (Friday)	1 hour (1400 – 1500h)	Members only	

Quotes from alumni

Fellowship in the National University Hospital (NUH) has equipped me to think outside the box. While uncompromising in its clinical standard of care, the flexibility given during the Fellowship allows us to truly experience a holistic and individualised programme, preparing me to tackle problems that can happen in resource-poor individuals/countries.

- Dr Mariflor S Villegas, Resident Physician, Paediatric Oncology/ BMT, NUHS

Fellowship at the NUH 'gave me wings to fly'. This programme helped me progress and explore the new frontiers in the field of Paediatric Haematology and Oncology. Every moment that I spent in the division was a learning experience which has provided me with the skills to take better care of my patients in my country. Training at the NUH is a great experience which has a convergence of technology and Asian culture with the human touch.

- Dr Shweta Bansal, Clinical Fellowship, 2012 – 2013, India

References

- Wong HB. Postgraduate medical education in Singapore. Ann Acad Med Singapore. 1982 Jul;11(3):473-7.
- Wong HB. Postgraduate medical training and certification at the National University of Singapore. Singapore Med J. 1989 Apr;30(2):189-93.



Article by **A/Prof Tan Poh Lin** Senior Consultant Division of Paediatric Haematology-Oncology, NUH & NCIS

Associate Programme Director Paediatric Residency, NUHS

A/Prof Tan Poh Lin is a Senior Consultant and Associate Professor in the Division of Paediatric Haematology and Oncology in the Khoo Teck Puat - National University Children's Medical Institute (KTP-NUCMI) at NUH. She attends on both the Paediatric BMT and Paediatric Haematology-Oncology services. She is currently the Medical Director in the Paediatric BMT Service which was established in 1983.



A Day in the Life of a **PAEDIATRIC ONCOLOGY FELLOW**

Can you describe a typical day at work?

My typical day at work depends on whether I am posted to day care therapy or the wards.

At day care therapy, I start preparing for the day from the previous evening, by pre-ordering chemotherapy drugs, blood tests for our kids. It is common practice at our Division, to refer to "our paediatric patients" as kids/children. It is our way of making them part of our lives. In the morning, I tend to the patients listed for procedures such as intrathecal chemotherapy, bone marrow aspiration and chemotherapy by going through their medical records to understand them better. I then start performing procedures one by one and try to complete them in time.

Meanwhile, I also attend to walk-in patients, attending first to the sickest patient. When I have completed the procedures, I assist the consultants with their

patients. This part of my day is especially valuable as I am able to observe and learn from the Division's experienced doctors.

If I am posted to the wards, I start my prerounds with the House Officers (HO) and Medical Officers (MO) at 8am, followed by rounds with the consultants. I do the scheduled procedures in the wards prior to the consultant rounds, so as to spare the kids the agony of fasting for a longer time.

In a typical day of the week on Wednesdays, I meet our medical social workers to understand our patients better, followed by participating in multidisciplinary meetings to discuss new and difficult cases. I also attend or sometimes present at the Bone Marrow Transplant (BMT) meetings on Friday afternoons. The week then ends off with a handover to the weekend rounding team.

Was there any specific experience or patient that really affirmed your decision to work with paediatric cancer patients?

During my paediatric residency programme in India, I encountered many children with malignancies, and I referred them to the nearest cancer centre where they were taken care of by the adult cancer oncologists. The eventual outcomes of most childhood malignancies were very poor. At that time, I strongly felt that there is a need for specialised paediatric oncologists to take care of these paediatric cancer patients which prompted me to take up a fellowship in paediatric oncology, so as to be able to step up the level of care and in turn, work towards better outcomes for them.

What are some skills that you have acquired during this fellowship and how has this fellowship changed you as a doctor?

Over two years of my fellowship at the NCIS/NUH, a lot of my perceptions about the practice of medicine have changed. Some of the significant ones are:

- By making sure patients are the epicentre of all your efforts, everything will fall into place
- Accurate decision making capability is crucial given the plethora of information
- Team-based approach is vital
- Developing leadership qualities
- Standardisation of operating protocols for common clinical situations lessens the burden of the consultants and empowers the HO/MO/residents on the ground
- Developing clinical skills is still very important in this age of modern technology, to avoid unnecessary investigations which increase the healthcare expenditure burden
- Regularly audit, so that we can learn from our past mistakes
- No goal is impossible, small changes over time bring about a bigger change
- Develop a futuristic vision, so that we do not miss the next big thing

What are some personal goals and dreams that you hope to achieve?

• I want to establish a state-of-the-art paediatric oncology and BMT unit back in my home country



- Better risk stratification of children with acute leukaemia, so as to cure more children and minimise the use of chemotherapy
- Improve survival rate of children with solid tumours by early recognition and standardising care of treatment
- Implement the graft engineering techniques for BMT so as to decrease the mortality and morbidity due to graft versus host disease in transplant recipients

Any words of advice for others who are thinking of joining the Paediatric Oncology Fellowship Programme?

I definitely would recommend the NCIS/NUH for their fellowship programme, as it provides opportunities for the holistic growth of an individual, in an environment where advanced treatment modalities are available. It broadens the horizons of thinking, develops and enhances your compassion towards your patients. This Division has many stalwarts in their own ways and they all serve as role models. More importantly, every fellow in this Division is involved in the core think tank for making decisions, rather than just following a set of orders!

Dr Anand Kumar Krishnappa Clinical Fellow Advanced Paediatric BMT Fellowship, NUH

2ND NUH SINGAPORE COLORECTAL CANCER SYMPOSIUM



Jointly organised by the National University Hospital (NUH), the National University Cancer Institute, Singapore (NCIS) and the National University of Singapore (NUS), the 2nd NUH Singapore Colorectal Cancer Symposium was held from 25 – 27 May. Over 30 colorectal experts (both local and foreign) were invited to discuss and deliver lectures centred on the theme "Management of Metastatic Colorectal Cancer". For the first time this year, the event also featured a pre-symposium cadaveric laparoscopic workshop. Over 90 participants attended both the two-day symposium and the pre-symposium workshop.


HAEMATOLOGY IN A NUTSHELL PRACTICAL KNOWLEDGE FOR PRIMARY CARE PHYSICIANS

Targeted at primary care physicians, this General Practitioner (GP) CME talk was held on 11 March with the intent of equipping GPs with practical haematological knowledge. Specialists from the NCIS shared about the possible abnormalities in an initial full blood count, preliminary tests that GPs can perform and when a tertiary referral is necessary. Over 200 participants attended this event and participants provided feedback that the topics and the question and answer session were excellent, with active discussion between the speakers and the audience.

GRIEF AND THE QUEST FOR MEANING A PALLIATIVE CARE PUBLIC FORUM

The very first palliative care public forum organised by the NCIS was held on 14 January. Associate Professor Amy Chow, a palliative care expert from Hong Kong, the invited guest speaker for the forum, covered topics such as end-of-life discussion with sensitivity to religion and culture, and understanding grief and loss. Participants also benefitted from the caregiver sharing session at the end of the talk. A total of 82 participants attended the forum and many gave positive feedback on the knowledgeable and experienced speaker as well as the inspirational caregiver sharing session.

4TH NCIS ANNUAL RESEARCH MEETING



Hosted by the NCIS and co-organised by the Cancer Science Institute of Singapore (CSI), the 4th NCIS Annual Research Meeting (NCAM) was held on 30 June, with a mini symposium on Gynaecologic Oncology on 1 July. Renowned experts in the field, plenary speakers Professors Sir David Lane and Jack Gilbert spoke about molecular stratification in ovarian cancer and microbiome and cancer treatment. Over 270 clinicians, clinician-researchers and basic researchers attended the event. Participants enjoyed the conference and felt that the number of awards given out this year encouraged more people to submit abstracts and further promoted the culture of cancer research within the NCIS.

AWARDS

Congratulations to all our NMRC Award winners! Thank you for lifting the standards of healthcare and going above and beyond for our patients at the National University Cancer Institute, Singapore (NCIS)!

National Medical Research Council Awards 2017

The National Medical Research Council (NMRC) Awards is an annual ceremony and symposium organised by the Ministry of Health's NMRC. It recognises outstanding clinicians and researchers for their achievements and contributions to better healthcare outcomes. This year, the event was held on 7 and 8 March, and three of our doctors received awards.



PROFESSOR CHNG WEE JOO Director and Senior Consultant Professor Chng Wee Joo, Director and Senior Consultant of the NCIS, was awarded the prestigious **Singapore Translational Research (STaR) Investigator Award**, for his outstanding work in cutting-edge translational and clinical research.

What does translational research mean to you?

"Translational research is the critical connection between discovery and mechanistic research in the laboratory and clinical research by the bedside. It is important for the advancement of medical treatment for patients. Translational researchers are those who study and show the relevance of basic scientific concepts to the clinics. This type of research may produce new ways of diagnosing patients, predicting outcomes and drug response, changing the treatment for diseases, changing the way we monitor treatment progress and so on. Clinician scientists are important agents in the translational research process."

How do you feel about winning the award?

"It is a real honour, and I am very proud to have won this award, especially to be in the same category as our most outstanding translational scientists, who are mostly from overseas (I am only one of a handful that is from Singapore and practising as a doctor to have won this award). I think with this award, I have proved that it is possible for Singapore to produce outstanding clinician scientists and that we have the environment and people to make this happen. I hope my achievement will inspire others to also follow their passion and not be afraid to take on this challenging but ultimately rewarding path." Dr David Tan was awarded the **Clinician Scientist Award**, which is given to selected outstanding clinician scientists who have consistently demonstrated excellence in research and carried out internationally competitive translational and clinical research.

What does being a clinician scientist mean to you?

"I have always felt that the label of "clinician scientist" is a rather unnecessary distinction. Everything we do as clinicians comes from a desire to improve the health and well-being of our patients and the only way of achieving this is from a rigorous study and expert application of medical scientific knowledge. Whether this is achieved by research into basic sciences, translational biomedical research, health services or even in the way in which we make daily clinical decisions for our patients, all clinicians who perform these tasks will be involved to a varying extent in the discovery, interpretation and implementation of scientific data. Essentially, being a clinician scientist is what my colleagues and I do every day and is an integral part of why a career in medicine remains exciting, interesting and intangibly rewarding. For this award, the most important thing here is not the label but rather the funding that comes with it, which will allow my colleagues and I to continue our research into developing better treatments for patients with gynaecological cancers."

How do you feel about winning this award?

"I am very grateful for the award and would like to thank all my colleagues in the Department of Haematology-Oncology, the Gynaecologic Oncology unit, the Haematology-Oncology Research Group at the NCIS, and the Cancer Science Institute at the National University of Singapore for their help and support. Thanks also to the NMRC for giving me the platform to carry out my work and to the leadership at the NCIS and NUH for creating the environment and putting the infrastructure in place for scientific endeavours to thrive."



DR DAVID TAN Consultant



DR ANAND JEYASEKHARAN Associate Consultant

Dr Anand Jeyasekharan was awarded the **Transition Award**, which is given to budding clinician scientists who have demonstrated exceptional work in clinical research.

What does research and being a clinician scientist mean to you?

"I think of research as a trek - to boldly go where no one has gone before. For me, being a clinician scientist is about bringing together a clinician's method of identifying problems, with a scientist's approach to solving them."

How do you feel about winning this award?

"I'm happy they decided to fund my proposal. This is only the start - now comes the time to do the actual science."

DOCTORS' PROMOTIONS

Congratulations to our newly promoted doctors!



1 DR LIM CHWEE MING Senior Consultant Division of Surgical Oncology (Head & Neck Surgery)



2 DR DAVID CHIA WEI TSAU Consultant Department of Radiation Oncology



3 DR TANG SIAU-WEI Consultant Division of Surgical Oncology (Breast Surgery)



DR TUNG MOON LEY
 Consultant
 Department of
 Haematology-Oncology



DR CHONG WAN QIN Associate Consultant Department of Haematology-Oncology

(5)





DR TAN HON LYN Associate Consultant Department of Haematology-Oncology

SPECIALIST AND TUMOUR GROUP LISTING

BLOOD CANCERS AND BLOOD DISORDERS

Bone Marrow and Stem Cell Transplant

Programme Haematology-Oncology A/Prof Koh Liang Piu (Leader) Dr Michelle Poon Li Mei Dr Tan Lip Kun Diagnostic Imaging Dr Khor Lih Kin Dr Loi Hoi Yin Radiation Oncology Asst Prof Bala Vellayappan Coagulation Haematology-Oncology

Dr Chee Yen Lin

Dr Chee Yen Lin Dr Liu Te Chih Dr Lee Shir Ying Dr Yap Eng Soo General Haematology

Haematology-Oncology

Dr Liu Te Chih (Leader) Dr Lee Shir Ying Dr Ng Chin Hin Dr Tung Moon Ley Leukaemia, Myelodysplastic and

Myeloproliferative Neoplasms (MDS/MPN) Haematology-Oncology

Dr Ng Chin Hin (Leader) A/Prof Koh Liang Piu Adj Asst Prof Melissa Ooi Gaik Ming Dr Esther Chan Hian Li Dr Tan Lip Kun Dr Tung Moon Ley **Diagnostic Imaging** Dr Khor Lih Kin Dr Loi Hoi Yin

Pathology A/Prof Ng Siok Bian A/Prof Tan Soo Yong Radiation Oncology

Asst Prof Bala Vellayappan Lymphoma

Haematology-Oncology

Dr Michelle Poon Li Mei (Leader) Dr Esther Chan Hian Li Dr Chee Yen Lin Dr Anand D Jeyasekharan Dr Sanjay De Mel Dr Joanne Lee Dr Tan Lip Kun **Diagnostic Imaging** Dr Khor Lih Kin Dr Loi Hoi Yin **Pathology** A/Prof Ng Siok Bian A/Prof Tan Soo Yong Radiation Oncology Asst Prof Bala Vellayappan **Multiple Myeloma** Haematology-Oncology Prof Chng Wee Joo (Leader) Adj Asst Prof Melissa Ooi Gaik Ming Dr Sanjay De Mel **Diagnostic Imaging** Asst Prof Arvind Kumar Sinha

Dr Khor Lih Kin Dr Loi Hoi Yin Pathology

A/Prof Ng Siok Bian A/Prof Tan Soo Yong **Radiation Oncology** Asst Prof Bala Vellayappan

BREAST CANCER

Surgical Oncology Asst Prof Chan Ching Wan (Leader) A/Prof Philip Iau Tsau Choong A/Prof Mikael Bo Anders Hartman Dr Shaik Ahmad Bin Syed Buhari Dr Tang Siau-Wei **Diagnostic Imaging** A/Prof Quek Swee Tian Dr Eide Sterling Ellis Dr Pooja Jagmohan Dr Jeevesh Kapur Dr Premilla Pillay Dr Felicity Pool Haematology-Oncology Prof John Wong Eu-Li A/Prof Lee Soo Chin Dr Joline Lim Si Jing Dr Lim Siew Eng Dr Lim Yi Wan Dr Samuel Ow Dr Andrea Wong Li Ann Pathology A/Prof Thomas Choudary Putti Plastic, Reconstructive & Aesthetic Surgerv Dr Jane Lim Dr Ong Wei Chen Dr Yap Yan Lin Radiation Oncology Asst Prof Choo Bok Ai

Asst Prof Koh Wee Yao Asst Prof Vicky Koh Yaling Asst Prof Johann Tang I-Hsiung

COLORECTAL CANCER

Surgical Oncology Dr Cheong Wai Kit (Leader) Asst Prof Chong Choon Seng Asst Prof Tan Ker Kan Dr Ridzuan Farouk Dr Sharon Koh Zhiling Dr Lee Kuok Chung Dr Bettina Lieske Dr Frances Lim Sheau Huei **Diagnostic Imaging** Dr Bertrand Ang Wei Leng Dr Calvin Koh Dr Thian Yee Liang Dr Lynette Teo Li Šan Haematology-Oncology Dr Chee Cheng Ean Dr Angela Pang Dr Ho Jing Shan Dr Raghav Sundar Dr Tan Hon Lyn Dr Yong Wei Peng Pathology Prof Teh Ming Dr Brendan Pang Nghee Kheem Radiation Oncology Asst Prof Francis Ho Asst Prof Leong Cheng Nang Asst Prof Jeremy Tey Chee Seong Asst Prof Bala Vellayappan

GYNAECOLOGIC CANCER

Gynaecologic Oncology A/Prof Jeffrey Low Jen Hui (Leader) A/Prof Arunachalam Ilancheran Dr Ida Ismail-Pratt Dr Joseph Ng Soon Yau Dr Pearl Tong Diagnostic Imaging Prof Joseph Lee King-Tat

SUPPLEMENTS

Dr Bertrand Ang Wei Leng Dr Thian Yee Liang Haematology-Oncology Dr Lim Siew Eng Dr Lim Yi Wan Dr David Tan Shao Peng Pathology A/Prof Raju Gangaraju Changal Dr Qasim Ahmed Dr Diana Lim Gkeok Stzuan Radiation Oncology Asst Prof Vicky Koh

Asst Prof Johann Tang I-Hsiung Dr Leong Yiat Horng

HEAD & NECK CANCER

<u>Surgical Oncology</u> A/Prof Thomas Loh Kwok Seng (Leader) Dr Jane Lim Dr Lim Chwee Mina **Diagnostic Imaging** Prof Vincent Chong Fook Hin Asst Prof Eric Ting Dr Choong Chih Ching Dr Tan Ai Peng Dr Jocelyn Wong Yen Ling Haematology-Oncology Adj Prof Goh Boon Cher Dr Chong Wan Qin Dr Tan Chee Seng Dr Nesaretnam Barr Kumarakulasinghe Pathology A/Prof Fredrik Bengt Petersson Dr Qasim Ahmed **Radiation Oncology** Asst Prof Francis Ho Asst Prof Vicky Koh Asst Prof Ivan Tham Weng Keong Asst Prof Wong Lea Choung Dr Timothy Cheo

THYROID CANCER

Surgical Oncology A/Prof Thomas Loh Kwok Seng (Leader) Asst Prof Rajeev Parameswaran Dr Lim Chwee Ming Dr Ngiam Kee Yuan Dr Tan Wee Boon Diagnostic Imaging Asst Prof Arvind Kumar Sinha

Dr Khor Lih Kin **Endocrinology** E/Prof Lim Pin Asst Prof Samantha Yang Dr Chionh Siok Bee Dr Kao Shih Ling Dr Eric Khoo Yin Hao

Dr Soh Lip Min Haematology-Oncology

Adj Prof Goh Boon Cher Pathology A/Prof Nga Min En A/Prof Fredrik Bengt Petersson Dr Qasim Ahmed

LIVER, PANCREATIC AND BILARY (HPB) CANCER

<u>Surgical Oncology</u> Dr Iyer Shridhar Ganpathi (Leader) Prof Krishnakumar Madhavan Dr Glenn Bonney Dr Alfred Kow Wei Chieh

SUPPLEMENTS

Diagnostic Imaging

Dr Stanley Loh Eu Kuang Dr Kamarjit Singh Mangat Dr Neo Wee Thong Dr Prapul Rajendran Dr Pavel Singh Dr Bernard Wee Dr Yeong Kuan Yuen **Gastroenterology & Hepatology** Prof Lawrence Ho Khek Yu Prof Lim Seng Gee A/Prof Dan Yock Young Asst Prof Lee Keat Hong Dr Bhavesh Kishor Doshi Dr Michelle Angela Gowans

Dr Leo Hartono Juanda Dr Calvin Koh Dr Lee Guan Huei Dr Lee Yin Mei Dr Kieron Lim Boon Leng Dr Loo Wai Mun Dr Low How Cheng Dr Mark Muthiah Dr Tan Poh Seng Haematology-Oncology Dr Chee Cheng Ean Dr Ho Jing Shan Dr Raghav Sundar Dr Tan Hon Lyn Dr Yong Wei Peng **Pathology** Prof Aileen Wee Dr Pang Yin Huei Dr Benjamin Wong Pak Kwong **Radiation Oncology** Asst Prof Francis Ho Asst Prof Leong Cheng Nang

Asst Prof Jeremy Tey Chee Seong Asst Prof Bala Vellayappan

LUNG/THORACIC CANCER

Haematology-Oncology Dr Ross Soo (Leader) Adj Prof Goh Boon Cher Dr Huang Yiging Dr Tan Chee Seng Surgical Oncology A/Prof Thirugnanam Agasthian A/Prof John Tam Kit Chung Dr Harish Mithiran Muthiah Diagnostic Imaging Asst Prof Arvind Kumar Sinha Asst Prof Anil Gopinathan Dr Khor Lih Kin Dr Stanley Loh Eu Kuang Dr Loi Hoi Yin Dr Lynette Teo Li San Dr Bernard Wee Pathology Dr Seet Ju Ee Radiation Oncology Asst Prof Koh Wee Yao Asst Prof Leong Cheng Nang Asst Prof Ivan Tham Weng Keong **Respiratory & Critical Care Medicine** Prof Lim Tow Keang A/Prof Lee Pyng Asst Prof See Kay Choong Dr Adrian Kee Dr Khoo Kay Leong

PROSTATE/UROLOGIC CANCER

<u>Surgical Oncology</u> Prof Kesavan Esuvaranathan (Leader) A/Prof Edmund Chiong Asst Prof Lincoln Tan Guan Lim Asst Prof Tiong Ho Yee Dr David Terrence Consigliere Dr Wu Qing Hui **Diagnostic Imaging** Dr Bertrand Ang Wei Leng Dr Wynne Chua Yuru Dr Khor Lih Kin Dr Stanley Loh Eu Kuang Dr Edwin Siew Poh Yiew Haematology-Oncology Prof John Wong Eu-Li Dr Alvin Wong Seng Cheong Dr Nesaretnam Barr Kumarakulasinghe Pathology Prof Teh Ming Dr Thomas Paulaj Thamboo Radiation Oncology Asst Prof Keith Lim Hsiu Chin Asst Prof Jeremy Tey Chee Seong

UPPER GASTROINTESTINAL CANCER

Surgical Oncology Prof Jimmy So Bok Yan (Leader) E/Prof Ti Thiow Kong Dr Asim Shabbir **Diagnostic Imaging** Dr Prapul Rajendran Dr Pavel Singh Dr Bernard Wee Dr Yang Cunli Dr Yeong Kuan Yuen Gastroenterology & Hepatology Prof Lawrence Ho Khek Yu A/Prof Yeoh Khay Guan Dr Calvin Koh Dr Lim Li Lin Dr Low How Cheng Dr David Ong Eng Hui Haematology-Oncology Dr Chee Cheng Ean Dr Ho Jing Shan Dr Angela Pang Dr Raghav Sundar Dr Tan Hon Lyn Dr Yong Wei Peng Pathology Prof Teh Ming A/Prof Nga Min En Dr Benjamin Wong Pak Kwong Radiation Oncology Asst Prof Francis Ho Asst Prof Leong Cheng Nang Asst Prof Jeremy Tey Chee Seong Asst Prof Bala Vellayapan

PAEDIATRIC HAEMATOLOGICAL MALIGNANCIES

Paediatric Haematology - Oncology A/Prof Allen Yeoh Eng Juh (Leader) Prof Dario Campana A/Prof Quah Thuan Chong Asst Prof Tan Poh Lin Dr Elaine Coustan-Smith Dr Chetan Anil Dhamne Dr Krista Francisco Dr Miriam Kimpo Dr Koh Pei Lin Dr Mariflor Villegas Dr Frances Yeap **Diagnostic Imaging** Dr Jeevesh Kapur **Pathology** A/Prof Tan Soo Yong

Radiation Oncology Asst Prof Vicky Koh Asst Prof Johann Tang I-Hsiung

BRAIN CANCER

Neurosurgery A/Prof Yeo Tseng Tsai (Leader) A/Prof Chou Ning Dr Sein Lwin Dr Vincent Nga Dr Teo Kejia **Diagnostic Imaging** Asst Prof Eric Ting Dr Choong Chih Ching Dr Tan Ai Peng Dr Jocelyn Wong Yen Ling Haematology-Oncology Dr Chong Wan Qin Dr Andrea Wong **Pathology** Dr Tan Char Loo Radiation Oncology Asst Prof Koh Wee Yao Asst Prof Bala Vellayappan Dr David Chia

MUSCULOSKELETAL CANCER/SARCOMA

Hand & Reconstructive Microsurgery Dr Mark Puhaindran (Leader) E/Prof Robert Pho Wan Heng Orthopaedic Surgery Dr Gurpal Singh **Diagnostic Imaging** A/Prof Quek Swee Tian Asst Prof Arvind Kumar Sinha Dr Sachin Agrawal Dr Louise Gartner Dr James Hallinan Dr David Sia Dr Salil Singbal Haematology-Oncology Dr Angela Pang Paediatric Haematology-Oncology Dr Chetan Anil Dhamne **Pathology** Dr Victor Lee Kwan Min Radiation Oncology Asst Prof Wong Lea Choung Asst Prof Choo Bok Ai Dr Timothy Cheo

SUPPORTIVE AND PALLIATIVE CARE

Haematology-Oncology Dr Noreen Chan Guek Cheng (Leader) Dr Yong Woon Chai Dr Jamie Zhou Psychological Medicine A/Prof Rathi Mahendran Dr Terence Leong Sun Chee Radiation Oncology Dr Wong Lea Choung

DEVELOPMENTAL THERAPEUTICS UNIT (DTU)

Haematology-Oncology

Adj Prof Goh Boon Cher (Leader) Prof Chng Wee Joo A/Prof Lee Soo Chin Dr Chee Cheng Ean Dr Joline Lim Dr Ross Soo Dr David Tan Shao Peng Dr Andrea Wong Li Ann Dr Yong Wei Peng

RESEARCH PUBLICATIONS BY THE NCIS (JAN - JUN 2017)

The names of authors from the NCIS are underlined. Please visit **http://bit.ly/ncisresearchpublication** for more information.

JANUARY

- 01 Concordance of two approaches in monitoring of minimal residual disease in B-precursor acute lymphoblastic leukemia: Fusion transcripts and leukemia-associated immunophenotypes. J Formos Med Assoc. 2017 Jan 4. Huang YJ, <u>Coustan-Smith E</u>, Kao HW, Liu HC, Chen SH, Hsiao CC, Yang CP, Jaing TH, Yeh TC, Kuo MC, Lai CL, Chang CH, <u>Campana D</u>, Liang DC, Shih LY.
- 02 Limb hypothermia for preventing paclitaxel-induced peripheral neuropathy in breast cancer patients: A pilot study. Front Oncol. 2017 Jan 10. 6:274. <u>Sundar</u> <u>R</u>, Bandla A, Tan SS, Liao LD, <u>Kumarakulasinghe NB</u>, <u>Jeyasekharan AD</u>, Ow SG, <u>Ho J</u>, <u>Tan DS</u>, <u>Lim JS</u>, Vijayan J, Therimadasamy AK, Hairom Z, Ang E, Ang S, Thakor NV, <u>Lee SC</u>, Wilder-Smith EP.
- 03 A murine orthotopic bladder tumor model and tumor detection system. J Vis Exp. 2017 Jan 12. (119). Tham SM, <u>Esuvaranathan K, Mahendran R.</u>
- 04 Mutational landscape of pediatric acute lymphoblastic leukemia. Cancer Res. 2017 Jan 15. 77(2):390-400. Ding LW, Sun QY, Tan KT, Chien W, Thippeswamy AM, <u>Eng Juh</u> Yeoh A, Kawamata N, Nagata Y, Xiao JF, Loh XY, Lin DC, Garg M, Jiang YY, Xu L, Lim SL, Liu LZ, Madan V, Sanada M, Fernendez LT, Preethi H, Lill M, Kantarjian HM, ..., <u>Koeffler HP</u>, et al.
- 05 Advanced endoscopic imaging in gastric neoplasia and preneoplasia. BMJ Open Gastroenterol. 2017 Jan 16. 4(1):e000105. eCollection 2017. Lee JW, Lim LG, <u>Yeoh KG</u>.
- 06 Are hemoglobin levels really lower in faecal immunochemical test positive patients with colorectal cancer? Surgeon. 2017 Jan 17. Ng JY, Tan IJ, <u>Tan KK</u>.
- 07 Clinical implications of DNMT3A mutations in a Southeast Asian cohort of acute myeloid leukaemia patients. J Clin Pathol. 2017 Jan 18. Tan M, Ng IK, Chen Z, Ban K, Ng C, Chiu L, Seah E, Lin M, Tai BC, Yan B, <u>Ng CH, Chng WJ</u>.
- 08 Is gastroscopy for fecal immunochemical test positive patients worthwhile? Int J Colorectal Dis. 2017 Jan. 32(1):95-98. Ng JY, Chan DK, <u>Tan KK</u>.
- 09 Thiol-ol chemistry for grafting of natural polymers to form highly stable and efficacious antibacterial coatings. ACS Appl Mater Interfaces. 2017 Jan 18. 9(2):1847-1857. Li M, Mitra D, Kang ET, Lau T, <u>Chiong E</u>, Neoh KG.
- 10 Association between environmental tobacco smoke exposure and the occurrence of EGFR mutations and ALK rearrangements in never-smokers with non-small-cell lung cancer: Analyses from a prospective multinational ETS registry. Clin Lung Cancer. 2017 Jan 19. <u>Soo RA</u>, Kubo A, Ando M, Kawaguchi T, Ahn MJ, Ou SI.
- 11 Evaluation of a brief pilot psychoeducational support group intervention for family caregivers of cancer patients: a quasi-experimental mixed-methods study. Health Qual Life Outcomes. 2017 Jan 23. 15(1):17. <u>Mahendran R</u>, Lim HA, Tan JY, Ng HY, Chua J, <u>Lim SE</u>, Kua EH, Griva K.

- 12 Wanted DEAD/H or Alive: Helicases Winding Up in Cancers. J Natl Cancer Inst. 2017 Jan 25. 109(6). Cai W, Xiong Chen Z, Rane G, Satendra Singh S, Choo Z, Wang C, Yuan Y, Zea Tan T, Arfuso F, Yap CT, Pongor LS, Yang H, Lee MB, <u>Cher Goh B</u>, Sethi G, Benoukraf T, Tergaonkar V, Prem Kumar A.
- 13 Novel exon-exon breakpoint in CIC-DUX4 fusion sarcoma identified by anchored multiplex PCR (Archer FusionPlex Sarcoma Panel). J Clin Pathol. 2017 Jan 30. Loke BN, Lee VK, Sudhanshi J, Wong MK, Kuick CH, Puhaindran M, Chang KT.
- 14 Clarifying the debate on population-based screening for breast cancer with mammography: A systematic review of randomized controlled trials on mammography with Bayesian meta-analysis and causal model. Medicine (Baltimore). 2017 Jan. 96(3):e5684. Review. Chen TH, Yen AM, Fann JC, Gordon P, Chen SL, Chiu SY, Hsu CY, Chang KJ, Lee WC, <u>Yeoh KG</u>, Saito H, Promthet S, Hamashima C, Maidin A, Robinson F, Zhao LZ.
- 15 Emerging biomarkers for PD-1 pathway cancer therapy. Biomark Med. 2017 Jan. 11(1):53-67. <u>Lim JS, Sundar R,</u> Chenard-Poirier M, Lopez J, Yap TA.
- 16 Feasibility study of toxicity outcomes using GEC-ESTRO contouring guidelines on CT based instead of MRI-based planning in locally advanced cervical cancer patients. Brachytherapy. 2017 Jan - Feb. 16(1):126-132. Koh V, Choo BA, Lee KM, Tan TH, Low JH, Ng SY, Ilancheran A, Shen L, Tang J.
- Glioblastoma multiforme outcomes of 107 patients treated in two Singapore institutions. Singapore Med J. 2017 Jan. 58(1):41-45. <u>Cheo ST</u>, Lim GH, <u>Lim KH</u>.
- 18 Identification of Stem Cells in the Epithelium of the Stomach Corpus and Antrum of Mice. Gastroenterology. 2017 Jan. 152(1):218-231.e14. Matsuo J, Kimura S, Yamamura A, Koh CP, Hossain MZ, Heng DL, Kohu K, Voon DC, Hiai H, Unno M, <u>So JB</u>, Zhu F, Srivastava S, <u>Teh</u><u>M</u>, <u>Yeoh KG</u>, Osato M, Ito Y.
- Labia Majora Share. Arch Plast Surg. 2017 Jan. 44(1):80-84. Lee H, Yap YL, Low JJ, Lim J.
- 20 Longitudinal study of the protective effect of hope on reducing body image distress in cancer patients. J Psychosoc Oncol. 2017 Jan-Feb. 35(1):77-89. Liu J, Griva K, Lim HA, Tan JY, <u>Mahendran R.</u>
- 21 Measuring outcomes of mindfulness interventions. Br J Psychiatry. 2017 Jan. 210(1):84-85. <u>Mahendran R</u>, Kua EH.
- 22 Molecular mechanism and therapeutic implications of selinexor (KPT-330) in liposarcoma. Oncotarget. 2017 Jan 31. 8(5):7521-7532. Garg M, Kanojia D, Mayakonda A, Said JW, Doan NB, Chien W, Ganesan TS, Chuang LS, Venkatachalam N, Baloglu E, Shacham S, Kauffman M, Koeffler HP.

PUBLICATIONS

- 23 Mutational profiling of a MonoMAC syndrome family with GATA2 deficiency. Leukemia. 2017 Jan. 31(1):244-245. Ding LW, Ikezoe T, Tan KT, Mori M, Mayakonda A, Chien W, Lin DC, Jiang YY, Lill M, Yang H, Sun QY, Koeffler HP.
- 24 Ordering of mutations in acute myeloid leukemia with partial tandem duplication of MLL (MLL-PTD). Leukemia. 2017 Jan. 31(1):1-10. Sun QY, Ding LW, Tan KT, Chien W, Mayakonda A, Lin DC, Loh XY, Xiao JF, Meggendorfer M, Alpermann T, Garg M, Lim SL, Madan V, Hattori N, Nagata Y, Miyano S, Yeoh AE, Hou HA, Jiang YY, Takao S, Liu LZ, Tan SZ, ..., Koeffler HP, et al.
- 25 Outcome after neoadjuvant chemotherapy in Asian breast cancer patients. Cancer Med. 2017 Jan. 6(1):173-185. Lim LY, Miao H, <u>Lim JS</u>, <u>Lee SC</u>, Bhoo-Pathy N, Yip CH, Taib NA, Chan P, Tan EY, Lim SH, Lim GH, Woo E, Tan YS, Lee JA, Wong M, Tan PH, Ong KW, Wong FY, Yap YS, <u>Hartman</u><u>M</u>.
- 26 Same admission laparoscopic cholecystectomy for acute cholecystitis: is the "golden 72 hours" rule still relevant? HPB (0xford). 2017 Jan. 19(1):47-51. Tan JK, Goh JC, Lim JW, <u>Shridhar IG, Madhavan K, Kow AW</u>.
- 27 Second malignant neoplasms in childhood cancer survivors treated in a tertiary paediatric oncology centre. Ann Acad Med Singapore. 2017 Jan. 46(1):11-19. Lim JW, Yeap FS, Chan YH, Yeoh AE, <u>Quah TC, Tan PL</u>.
- 28 The conundrum in the diagnosis and management of atypical fulminant measles in a leukemia survivor on maintenance chemotherapy. J Pediatr Hematol Oncol. 2017 Jan. 39(1):e36-e38. Huang JG, <u>Yeoh AE</u>, Tambyah PA, Suhaila MI.
- 29 Totally extra-peritoneal repair for acute incarcerated femoral hernia with intestinal obstruction. Int J Surg Case Rep. 2017 Jan. 32:16-18. <u>Kim G, Yan So JB, Shabbir A</u>.
- 30 Towards precision medicine in the clinic: From biomarker discovery to novel therapeutics. Trends Pharmacol Sci. 2017 Jan. 38(1):25-40. Collins DC, <u>Sundar R, Lim JS</u>, Yap TA.
 - FEBRUARY
- Combined use of irinotecan with histone deacetylase inhibitor belinostat could cause severe toxicity by inhibiting SN-38 glucuronidation via UGT1A1. Oncotarget. 2017 Feb 1. Wang L, Chan CE, <u>Wong AL</u>, Wong FC, Lim SW, Chinnathambi A, Alharbi SA, Lee LS, S<u>oo R</u>, Y<u>ong W</u>P, <u>Lee SC</u>, Ho PC, Sethi G, <u>Goh BC</u>.
- 32 Aberrant RNA splicing and mutations in spliceosome complex in acute myeloid leukemia. Stem Cell Investig. 2017 Feb 9. 4:6. Zhou J, <u>Chng WJ</u>.
- 33 Administration of Pure Ergothioneine to Healthy Human Subjects: Uptake, Metabolism, and Effects on Biomarkers of Oxidative Damage and Inflammation. Antioxid Redox Signal. 2017 Feb 10. 26(5):193-206. Cheah IK, Tang RM, Yew TS, Lim KH, Halliwell B.
- 34 Integrative analyses of transcriptome sequencing identify novel functional lncRNAs in esophageal squamous cell carcinoma. Oncogenesis. 2017 Feb 13. 6(2):e297. Li CQ, Huang GW, Wu ZY, Xu YJ, Li XC, Xue YJ, Zhu Y, Zhao JM, Li M, Zhang J, Wu JY, Lei F, Wang QY, Li S, Zheng CP, Ai B, Tang ZD, Feng CC, Liao LD, Wang SH, Shen JH, Liu YJ, ..., <u>Koeffler HP</u>, et al.

- 35 Extent of field change in colorectal cancers with BRAF mutation. Singapore Med J. 2017 Feb 17. Poh A, Chang HS, Tan KY, Sam XX, Khoo A, Choo SN, <u>Nga ME</u>, Wan WK.
- 36 A novel benzimidazole derivative, MBIC inhibits tumor growth and promotes apoptosis via activation of ROSdependent JNK signaling pathway in hepatocellular carcinoma. Oncotarget. 2017 Feb 21. 8(8):12831-12842. Dai X, Wang L, Deivasigamni A, Looi CY, Karthikeyan C, Trivedi P, Chinnathambi A, Alharbi SA, Arfuso F, Dharmarajan A, <u>Goh BC</u>, Hui KM, Kumar AP, Mustafa MR, Sethi G.
- 37 Metabolic gatekeeper function of B-lymphoid transcription factors. Nature. 2017 Feb 23. 542(7642):479-483. Chan LN, Chen Z, Braas D, Lee JW, Xiao G, Geng H, Cosgun KN, Hurtz C, Shojaee S, Cazzaniga V, Schjerven H, Ernst T, Hochhaus A, Kornblau SM, Konopleva M, Pufall MA, Cazzaniga G, Liu GJ, Milne TA, <u>Koeffler HP</u>, Ross TS, ..., Koeffler HP, et al.
- 38 A longitudinal exploration of the psychological resources influencing depression and anxiety in newly diagnosed Asian persons with cancer. Psychooncology. 2017 Feb. 26(2):278-281. Lim HA, Griva K, Tan JY, <u>Mahendran R</u>.
- 39 Biliary metastasis in colorectal cancer confers a poor prognosis: case study of 5 consecutive patients. Ann Hepatobiliary Pancreat Surg. 2017 Feb. 21(1):57-60. Koh FH, <u>Shi W, Tan KK</u>.
- 40 Extensive peritoneal lavage after curative gastrectomy for gastric cancer (EXPEL): study protocol of an international multicentre randomised controlled trial. Jpn J Clin Oncol. 2017 Feb. <u>Kim G</u>, Chen E, Tay AY, <u>Lee JS</u>, Phua JN, <u>Shabbir A</u>, <u>So JB</u>, Tai BC.
- 41 Laparoscopic anterior resection with transvaginal specimen extraction (TVSE) for colorectal cancer and concomitant total hysterectomy and bilateral salpingooophrectomy (THBSO): A Technical Description. Ann Surg Oncol. 2017 Feb. 24(2):441. Tan CN, <u>Chong CS</u>, Fong YF, Rauff S, <u>Tan KK</u>.
- 42 Perioperative blood transfusion: does it influence survival and cancer progression in metastatic spine tumor surgery? Transfusion. 2017 Feb. 57: 440–450. Zaw AS, Kantharajanna SB, Maharajan K, Tan B, <u>Vellayappan B</u>, Kumar N.
- 43 Risk Factors for Mortality in Asian Children Admitted to the Paediatric Intensive Care Unit after Haematopoietic Stem Cell Transplantation. Ann Acad Med Singapore. 2017 Feb. 46(2):44-49. Santhanam H, Ong JS, Shen L, <u>Tan PL</u>, <u>Koh PL</u>.
- 44 The Singapore Myeloma Study Group Consensus Guidelines for the management of patients with multiple myeloma. Singapore Med J. 2017 Feb. 58(2):55-71. <u>de Mel</u> <u>S</u>, Chen Y, Gopalakrishnan SK, <u>Ooi M</u>, Teo C, Tan D, Teo ML, Tso AC, Lee LK, Nagarajan C, Goh YT, <u>Chng WJ.</u>
- 45 Use of cryobiopsy during pleuroscopy for diagnosis of sarcomatoid malignant mesothelioma. Thorax. 2017 Feb. 72(2):193-195. Chan HP, Liew MF, <u>Seet JE, Lee P.</u>

46 Whole-transcriptome sequencing identifies a distinct subtype of acute lymphoblastic leukemia with predominant genomic abnormalities of EP300 and CREBBP. Genome Res. 2017 Feb. 27(2):185-195. Qian M, Zhang H, Kham SK, Liu S, Jiang C, Zhao X, Lu Y, Goodings C, Lin TN, Zhang R, Moriyama T, Yin Z, Li Z, <u>Quah TC</u>, Ariffin H, Tan AM, Shen S, Bhojwani D, Hu S, Chen S, Zheng H, Pui CH, ..., <u>Yeoh AE</u>, et al.

MARCH

- 47 Combining Molecularly Targeted Agents: Is More Always Better? Clin Cancer Res. 2017 Mar. 23(5):1123-1125. Sundar R, Valeri N, Harrington KJ, Yap TA.
- 48 Mutational profiling of acute lymphoblastic leukemia with testicular relapse. J Hematol Oncol. 2017 Mar 2. 10(1):65. Ding LW, Sun QY, Mayakonda A, Tan KT, Chien W, Lin DC, Jiang YY, Xu L, Garg M, Lao ZT, Lill M, Yang H, <u>Yeoh AE</u>, <u>Koeffler HP</u>.
- 49 BRCA2 hypomorphic missense variants confer moderate risks of breast cancer. Cancer Res. 2017 Mar 10. Shimelis H, ..., <u>Hartman M</u>, ..., Couch FJ et al.
- 50 Carfilzomib and dexamethasone vs bortezomib and dexamethasone in patients with relapsed multiple myeloma: results of the phase 3 study ENDEAVOR (NCT01568866) according to age subgroup. Leuk Lymphoma. 2017 Mar 17. 1-4. Ludwig H, Dimopoulos MA, Moreau P, <u>Chng WJ</u>, Goldschmidt H, HÃjjek R, Facon T, Pour L, Niesvizky R, Oriol A, Rosiñol L, Suvorov A, Gaidano G, Pika T, Weisel K, Goranova-Marinova V, Palumbo A, Gillenwater HH, Mohamed N, Aggarwal S, Feng S, Joshua D.
- 51 Intensity-modulated radiation therapy for early-stage breast cancer: is it ready for prime time? Breast Cancer (Dove Med Press). 2017 Mar 20. 9:177-183. Chan TY, Tan PW, Tang JI.
- 52 Identification of a Novel SYK/c-MYC/MALAT1 Signaling Pathway and Its Potential Therapeutic Value in Ewing Sarcoma. Clin Cancer Res. 2017 Mar 23. Sun H, Lin DC, Cao Q, Pang B, Gae DD, Lee VKM, Lim HJ, Doan N, Said JW, Gery S, Chow M, Mayakonda A, Forscher C, Tyner JW, Koeffler HP.
- 53 Exosomes in Cancer Nanomedicine and Immunotherapy: Prospects and Challenges. Trends Biotechnol. 2017 Mar 29. Syn NL, Wang L, Chow EK, Lim CT, <u>Goh BC</u>.
- 54 Body image and emotional distress in newly diagnosed cancer patients: The mediating role of dysfunctional attitudes and rumination. Body Image. 2017 Mar. 20:58-64. Liu J, Peh CX, <u>Mahendran R</u>.
- 55 Clinics in diagnostic imaging (175). Corpus callosum glioblastoma multiforme (GBM): butterfly glioma. Singapore Med J. 2017 Mar. 58(3):121-125. Krishnan V, Lim TC, <u>Ho FC</u>, Peh WC.
- 56 Conversion Surgery Post-Intraperitoneal Paclitaxel and Systemic Chemotherapy for Gastric Cancer Carcinomatosis Peritonei. Are We Ready? J Gastrointest Surg. 2017 Mar. 21(3):425-433. Chan DY, Syn NL, Yap R, Phua JN, Soh TI, <u>Chee CE</u>, <u>Nga ME</u>, <u>Shabbir A</u>, <u>So JB</u>, <u>Yong WP</u>.

- 57 Copy number analysis identifies tumor suppressive lncRNAs in human osteosarcoma. Int J Oncol. 2017 Mar. 50(3):863-872. Xie J, Lin D, Lee DH, Akunowicz J, Hansen M, Miller C, Sanada M, Kato M, Akagi T, Kawamata N, Ogawa S, <u>Koeffler HP</u>.
- 58 Development of a compact continuum tubular robotic system for nasopharyngeal biopsy. Med Biol Eng Comput. 2017 Mar. 55(3):403-417. Wu L, Song S, Wu K, <u>Lim CM</u>, Ren H.
- 59 Diagnosis and relapse: cytogenetically normal acute myelogenous leukemia without FLT3-ITD or MLL-PTD. Leukemia. 2017 Mar. 31(3):762-766. Chien W, Sun QY, Ding LW, Mayakonda A, Takao S, Liu L, Lim SL, Tan KT, Garg M, De Sousa Maria Varela A, Xiao J, Jacob N, Behrens K, Stocking C, Lill M, Madan V, Hattori N, Gery S, Ogawa S, Wakita S, Ikezoe T, Shih LY, ..., <u>Koeffler HP</u>, et al.
- 60 Don't mistake it as a polyp! Gut. 2017 Mar. 66(3):553. Tian-Zhi L, Leong Qi Hui F, <u>Tan KK.</u>
- 61 Intraperitoneal chemotherapy for gastric cancer with peritoneal disease: experience from Singapore and Japan. Gastric Cancer. 2017 Mar. 20(Suppl 1):122-127. Kono K, Yong WP, Okayama H, Shabbir A, Momma T, Ohki S, Takenoshita S, So J.
- 62 LIN28B Activation by PRL-3 Promotes Leukemogenesis and a Stem Cell-like Transcriptional Program in AML. Mol Cancer Res. 2017 Mar. 15(3):294-303. Zhou J, Chan ZL, Bi C, Lu X, Chong PS, Chooi JY, Cheong LL, Liu SC, Ching YQ, Zhou Y, Osato M, Tan TZ, Ng CH, Ng SB, Wang S, Zeng Q, Chng WJ.
- 63 Pediatric non-Down syndrome acute megakaryoblastic leukemia is characterized by distinct genomic subsets with varying outcomes. Nat Genet. 2017 Mar. 49(3):451-456. de Rooij JD, Branstetter C, Ma J, Li Y, Walsh MP, Cheng J, Obulkasim A, Dang J, Easton J, Verboon LJ, Mulder HL, Zimmermann M, Koss C, Gupta P, Edmonson M, Rusch M, Lim JY, Reinhardt K, Pigazzi M, Song G, <u>Yeoh</u> <u>AE</u>, Shih LY, et al.
- 64 Peripheral Nerve Lymphomatosis. J Hand Surg Asian Pac Vol. 2017 Mar. 22(1):104-107. Foo TL, Yak R, <u>Puhaindran</u> <u>ME</u>.
- 65 Preleukemia: one name, many meanings. Leukemia. 2017 Mar. 31(3):534-542. <u>Koeffler HP</u>, Leong G.
- 66 Quantitative 18F-fluorocholine positron emission tomography for prostate cancer: correlation between kinetic parameters and Gleason scoring. EJNMMI Res. 2017 Mar. 7(1):25. Schaefferkoetter JJD, Wang Z, Stephenson MC, Roy S, Conti M, Eriksson L, Townsend DW, <u>Thamboo T, Chiong E</u>.
- 67 Quantitative Accuracy and Lesion Detectability of Low-Dose (18)F-FDG PET for Lung Cancer Screening. J Nucl Med. 2017 Mar. 58(3):399-405. Schaefferkoetter JD, Yan J, Sjöholm T, Townsend DW, Conti M, <u>Tam JK</u>, <u>Soo RA</u>, <u>Tham I</u>.
- 68 Rivaroxaban for heparin-induced thrombocytopenia: adding to the evidence. Ann Hematol. 2017 Mar. 96(3):525-527. Ong SY, Chin YA, Than H, Tan CW, <u>Yap ES</u>, Wong WH, Ng HJ.

- 69 Significance of immune checkpoint proteins in EGFRmutant non-small cell lung cancer. Lung Cancer. 2017 Mar. 105:17-22. Soo RA, Kim HR, Asuncion BR, Fazreen Z, Omar MF, Herrera MC, Yun Lim JS, Sia G, Soong R, Cho BC.
- 70 Single-cell genomic profiling of acute myeloid leukemia for clinical use: A pilot study. Oncol Lett. 2017 Mar. 13(3):1625-1630. Yan B, Hu Y, Ban KHK, Tiang Z, Ng C, Lee J, Tan W, Chiu L, Tan TW, Seah E, Ng CH, Chng WJ, Foo R.
- 71 Update on immune checkpoint inhibitors in gynecological cancers. J Gynecol Oncol. 2017 Mar. 28(2):e20. Heong V, Ngoi N, <u>Tan DS</u>.

APRIL

- 72 Minimal residual disease-guided therapy in childhood acute lymphoblastic leukemia. Blood. 2017 Apr 6. 129(14):1913-1918. <u>Campana D</u>, Pui CH.
- 73 Improved outcomes for myeloid leukemia of down syndrome: A report from the Children's Oncology Group AAML0431 trial. Blood. 2017 Apr 7. pii: blood-2017-01-764324. Taub JW, Berman JN, Hitzler JK, Sorrell AD, Lacayo NJ, Mast K, Head D, Raimondi S, Hirsch B, Ge Y, Gerbing RB, Wang YC, Alonzo TA, <u>Campana D</u>, <u>Coustan-Smith E</u>, Mathew P, Gamis AS.
- 74 Imprecision in the era of precision medicine in non-small cell lung cancer. Front Med (Lausanne). 2017 Apr 10. 4:39. <u>Sundar R</u>, Chenard-Poirier M, Collins DC, Yap TA.
- 75 Belinostat exerts antitumor cytotoxicity through the ubiquitin-proteasome pathway in lung squamous cell carcinoma. Mol Oncol. 2017 Apr 11. Kong LR, Tan TZ, Ong WR, Bi C, Huynh H, Lee SC, Chng WJ, Eichhorn PJA, Goh BC.
- 76 Palliative radiotherapy for gastric cancer: a systematic review and meta-analysis. Oncotarget. 2017 Apr 11. 8(15):25797-25805. Tey J, Soon YY, Koh WY, Leong CN, Choo BA, Ho F, Vellayappan B, Lim K, Tham IW.
- 77 A systematic review and meta-analysis of individual patient data on the impact of the BIM deletion polymorphism on treatment outcomes in epidermal growth factor receptor mutant lung cancer. Oncotarget. 2017 Apr 13. Soh SX, Siddiqui FJ, Allen JC, Kim GW, Lee JC, Yatabe Y, Soda M, Mano H, <u>Soo RA, Chin TM</u>, Ebi H, Yano S, Matsuo K, Niu X, Lu S, Isobe K, Lee JH, Yang JC, Zhao M, Zhou C, Lee JK, Lee SH, et al.
- 78 Getting the first degree relatives to screen for colorectal cancer is harder than it seems - patients' and their first degree relatives' perspectives. Int J Colorectal Dis. 2017 Apr 13. <u>Tan KK</u>, Lim TZ, Chan DK, Chew E, Chow WM, Luo N, Wong ML, Koh GC.
- 79 Whole-genome non-coding sequence analysis in T-cell acute lymphoblastic leukemia identifies oncogene enhancer mutations. Blood. 2017 Apr 13. Hu S, Qian M, Zhang H, Guo Y, Yang J, Zhao X, He H, Lu J, Pan J, Chang M, Du G, Lin TN, Kham SK, <u>Quah TC</u>, Ariffin H, Tan AM, Cheng Y, Li C, <u>Yeoh AE</u>, Pui CH, Skanderup AJ, Yang JJ.
- 80 Significant effect of polymorphisms in CYP2D6 on response to tamoxifen therapy for breast cancer; A prospective multicenter study. Clin Cancer Res. 2017 Apr 15. 23(8):2019-2026. doi: 10.1158/1078-0432.CCR-16-1779. Zembutsu H, ..., <u>Hartman M, Chan CW, Lee SC</u>, ..., Nakamura Y et al.

- 81 ZNF750 is a lineage-specific tumour suppressor in squamous cell carcinoma. Oncogene. 2017 Apr 20. 36(16):2243-2254. Hazawa M, Lin DC, Handral H, Xu L, Chen Y, Jiang YY, Mayakonda A, Ding LW, Meng X, Sharma A, Samuel S, Movahednia MM, Wong RW, Yang H, Tong C, <u>Koeffler HP.</u>
- 82 The utility of flow cytometry in differentiating NK/T cell lymphoma from indolent and reactive NK cell proliferations. Cytometry B Clin Cytom. 2017 Apr 21. <u>de</u> <u>Mel S</u>, Li JB, Abid MB, Tang TPL, Tay HM, Ting WC, <u>Poon</u> <u>LM</u>, Chung TH, Mow B, Tso A, Ong KH, <u>Chng WJ</u>, <u>Liu TC</u>.
- 83 Cutaneous plasmacytosis: A clinicopathologic study of a series of cases and their treatment outcomes. Am J Dermatopathol. 2017 Apr 25. Han XD, Lee SSJ, Tan SH, Chong WS, Ng SK, <u>Ooi MGM</u>, Goh CL.
- LPS independent activation of the pro-inflammatory receptor Trem1 by C/EBPε in granulocytes. Sci Rep. 2017 Apr 25.7:46440. Suh HC, Benoukraf T, Shyamsunder P, Yin T, Cao Q, Said J, Lee S, Lim R, Yang H, Salotti J, Johnson PF, Madan V, Koeffler HP.
- 85 BCL6 promotes glioma and serves as a therapeutic target. Proc Natl Acad Sci U S A. 2017 Apr 11;114(15):3981-3986. Xu L, Chen Y, Dutra-Clarke M, Mayakonda A, Hazawa M, Savinoff SE, Doan N, Said JW, Yong WH, Watkins A, Yang H, Ding LW, Jiang YY, Tyner JW, Ching J, Kovalik JP, Madan V, Chan SL, Müschen M, Breunig JJ, Lin DC, Koeffler HP.
- 86 Laparoscopic surgery should be considered in T4 colon cancer. Int J Colorectal Dis. 2017 Apr. 32(4):517-520. Chan DK, <u>Tan KK</u>.
- 87 Long-term renal outcome after allogeneic hemopoietic stem cell transplant: A comprehensive analysis of risk factors in an Asian patient population. Clin Transplant. 2017 Apr. 31(4). Zhou W, Sultana R, Diong C, Goh YT, Gopalakrishnan S, Ho A, Hwang W, <u>Koh LP</u>, Koh M, Loh Y, Tan P, Linn YC.
- 88 Metastatic breast cancer to the rectum: A case report with emphasis on MRI features. Medicine (Baltimore). 2017 Apr. 96(17):e6739. Lau LC, Wee B, Wang S, <u>Thian YL</u>.
- 89 Obscure bleeding from an ovarian carcinoma invading the small bowel. Am J Gastroenterol. 2017 Apr. 112(4):534. Heidi CS, Chan DK, Solomon M, <u>Tan KK</u>.
- 90 Predicting clinical outcomes using proteomics in nonsmall cell lung cancer - The past, present, and future. J Thorac Oncol. 2017 Apr. 12(4):602-606. <u>Soo RA</u>, Adjei AA.
- 91 Psychosocial concerns of cancer patients in Singapore. Asia Pac J Clin Oncol. 2017 Apr. 13(2):e96-e103. <u>Mahendran R</u>, Lim HA, Chua J, <u>Lim SE</u>, Kua EH.
- 92 Role of (18)F-FDG PET/CT in the diagnosis and management of multiple myeloma and other plasma cell disorders: a consensus statement by the International Myeloma Working Group. Lancet Oncol. 2017 Apr. 18(4):e206-e217. Cavo M, Terpos E, Nanni C, Moreau P, Lentzsch S, Zweegman S, Hillengass J, Engelhardt M, Usmani SZ, Vesole DH, San-Miguel J, Kumar SK, Richardson PG, Mikhael JR, da Costa FL, Dimopoulos MA, Zingaretti C, Abildgaard N, Goldschmidt H, Orlowski RZ, Chng WJ, Einsele H, et al.
- 93 Roux-en-Y or Billroth II reconstruction after radical distal gastrectomy for gastric cancer: A multicenter randomized controlled trial. Annals of Surgery. 2017 Apr. <u>So JB</u>, Rao J, Wong AS, Chan YH, Pang NQ, Tay AY, Yung MY, Su Z, Phua JN, <u>Shabbir A</u>, Ng E.

- 94 Surgery for gastrointestinal stromal tumours in Australia and New Zealand: Results from a bi-national audit. ANZ J Surg. 2017 Apr. 87(4):220-221. <u>Parameswaran R</u>, Roberts RH, Brown WA, Aly A, Kiroff G, Epari K, MacCormick AD, Thomson IG, Thompson SK.
- 95 The KEY to the end of chemotherapy in non-small cell lung cancer? Ann Transl Med. 2017 Apr. 5(7):166. <u>Huang</u> <u>Y</u>, Soo RA.
- 96 Thyroid cytology-nuclear versus architectural atypia within the "Atypia of undetermined significance/follicular lesion of undetermined significance" Bethesda category have significantly different rates of malignancy. Cancer. 2017 Apr. 125(4):245-256. Gan TR, <u>Nga ME</u>, Lum JH, Wong WM, <u>Tan WB</u>, <u>Parameswaran R, Ngiam KY</u>.

MAY

- 97 Evaluating genetic variants associated with breast cancer risk in high and moderate-penetrance genes in Asians. Carcinogenesis. 2017 May 1. 38(5):511-518. Han MR, ..., <u>Hartman M</u>, ..., Long J.
- 98 Genomic and Epigenomic Heterogeneity of Hepatocellular Carcinoma. Cancer Res. 2017 May 1. 77(9):2255-2265. Lin DC, Mayakonda A, Dinh HQ, Huang P, Lin L, Liu X, Ding LW, Wang J, Berman BP, Song EW, Yin D, Koeffler HP.
- 99 Management of epidermal growth factor receptor tyrosine kinase inhibitor-related cutaneous and gastrointestinal toxicities. Asia Pac J Clin Oncol. 2017 May 2. Aw DC, Tan EH, <u>Chin TM</u>, Lim HL, Lee HY, <u>Soo RA</u>.
- 100 Risk of death from cardiovascular disease following breast cancer in Southeast Asia: A prospective cohort study. Sci Rep. 2017 May 2. 7(1):1365. Gernaat SAM, Ho PJ, Rijnberg N, Lee SC, Lim SH, Yap YS, Grobbee DE, <u>Hartman</u> <u>M</u>, Verkooijen HM.
- 101 Risk of death from cardiovascular disease following breast cancer: A systematic review. Breast Cancer Res Treat. 2017 May 13. Gernaat SAM, Ho PJ, Rijnberg N, Emaus MJ, Baak LM, <u>Hartman M</u>, Grobbee DE, Verkooijen HM.
- 102 Breast reconstruction rate and profile in a Singapore patient population: a National University Hospital experience. Singapore Med J. 2017 May 15. Sim N, Soh S, Ang CH, Hing CH, Lee HJ, Nallathamby V, Yap YL, Ong WC, Lim TC, Lim J.
- 103 Evolution in treatment strategy for metastatic spine disease: Presently evolving modalities. Eur J Surg Oncol. 2017 May 17. Kumar N, Malhotra R, Zaw AS, Maharajan K, Naresh N, Kumar A, <u>Vellayappan B</u>.
- 104 Young colorectal cancer patients often present too late. Int J Colorectal Dis. 2017 May 18. Law JH, Koh FH, <u>Tan KK</u>.
- 105 Super-enhancers and broad H3K4me3 domains form complex gene regulatory circuits involving chromatin interactions. Sci Rep. 2017 May 19. 7(1):2186. Cao F, Fang Y, Tan HK, Goh Y, Choy JYH, Koh BTH, Hao Tan J, Bertin N, Ramadass A, Hunter E, Green J, Salter M, Akoulitchev A, Wang W, Chng WJ, Tenen DG, Fullwood MJ.
- 106 The EMT spectrum and therapeutic opportunities. Mol Oncol. 2017 May 24. Voon DC, <u>Huang RY</u>, Jackson RA, Thiery JP.
- 107 Advances in the development of molecularly targeted agents in non-small-cell lung cancer. Drugs. 2017 May. 77(8):813-827. Dolly SO, Collins DC, <u>Sundar R</u>, Popat S, Yap TA.

- 108 Clinical risk stratification in patients with surgically resectable micropapillary bladder cancer. BJU Int. 2017 May. 119(5):684-691. Fernandez MI, Williams SB, Willis DL, Slack RS, Dickstein RJ, Parikh S, <u>Chiong E</u>, Siefker-Radtke AO, Guo CC, Czerniak BA, McConkey DJ, Shah JB, Pisters LL, Grossman HB, Dinney CP, Kamat AM.
- 109 Nationwide multi-institutional retrospective analysis of high-dose-rate brachytherapy combined with external beam radiotherapy for localized prostate cancer: An Asian Prostate HDR-BT Consortium. Brachytherapy. 2017 May -Jun. 16(3):503-510. Ishiyama H, Kamitani N, Kawamura H, Kato S, Aoki M, Kariya S, Matsumura T, Kaidu M, Yoshida K, Hashimoto Y, Noda Y, <u>Lim KHC</u>, Kawase T, Takahashi T, Inaba K, Kumano M, Yoshikawa N, Yoshioka Y, Nakamura K, Hiratsuka J, Itami J, Hayakawa K.
- 110 Prospective validation of %p2PSA and the prostate health index, in prostate cancer detection in initial prostate biopsies of Asian men, with total PSA 4-10 ng ml-1. Asian J Androl. 2017 May-Jun. 19(3):286-290. Tan LG, Tan YK, Tai BC, Tan KM, Gauhar V, Tiong HY, Hawkins RC, Thamboo TP, Hong FS, <u>Chiong E</u>.
- 111 Quality of life of family caregivers of cancer patients in Singapore and globally. Singapore Med J. 2017 May. 58(5):258-261. Lim HA, Tan JY, Chua J, Yoong RK, <u>Lim SE</u>, Kua EH, <u>Mahendran R</u>.
- 112 Real time near-infrared Raman spectroscopy for the diagnosis of nasopharyngeal cancer. Oncotarget. 2017 May 8. <u>Ming LC</u>, Gangodu NR, Loh T, Zheng W, Wang J, Lin K, Zhiwei H.
- 113 Response to Re: Bacteriological study in perianal abscess is not useful and not cost-effective. ANZ J Surg. 2017 May. 87(5):421. Xu R, <u>Tan KK</u>, <u>Chong CS</u>.
- 114 Upregulation of thioredoxin-1 in activated human NK cells confers increased tolerance to oxidative stress. Cancer Immunol Immunother. 2017 May. 66(5):605-613. Mimura K, Kua LF, Shimasaki N, Shiraishi K, Nakajima S, Siang LK, <u>Shabbir A</u>, <u>So J</u>, <u>Yong WP</u>, Kono K.

JUNE

- 115 Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. Diabetologia. 2017 Jun. 60(6):1022-1032. Chen Y, Wu F, Saito E, Lin Y, Song M, Luu HN, Gupta PC, Sawada N, Tamakoshi A, Shu XO, Koh WP, Xiang YB, Tomata Y, Sugiyama K, Park SK, Matsuo K, Nagata C, Sugawara Y, Qiao YL, You SL, Wang R, Shin MH, ..., <u>Chia KS</u>, et al.
- 116 Endoscopic stenting does not worsen long term outcomes amongst patients presenting with obstruction from colorectal cancers. Ann Surg Oncol. 2017 Jun. 24(6):1618-1625. Lim TZ, Chan DK, <u>Tan KK</u>.
- 117 Epigenomic Promoter Alterations Amplify Gene Isoform and Immunogenic Diversity in Gastric Adenocarcinoma. Cancer Discov. 2017 Jun. 7(6):630-651. Qamra A, Xing M, Padmanabhan N, Kwok JJT, Zhang S, Xu C, Leong YS, Lee Lim AP, Tang Q, Ooi WF, Suling Lin J, Nandi T, Yao X, Ong X, Lee M, Tay ST, Keng ATL, Gondo Santoso E, Ng CCY, Ng A, Jusakul A, Smoot D, ..., Yeoh KG, et al.

UPCOMING EVENTS

NCIS EVENTS & PROGRAMMES (JUL - DEC 2017)



- Be in the PINK Education Series For NCIS patients / caregivers
- Caregivers in Cancer Basic Homecare Skills Training Programme For NCIS patients / caregivers
- Colorectal Cancer Community Talk For the Public
- Expressive Art Studio For NCIS patients / caregivers
- July Oncology Grand Rounds Health Service Research: Clinical Trials Or Observational Data For Healthcare Professionals
- July Oncology Grand Rounds Intraperitoneal Chemotherapy for Peritoneal Metastases
 For Healthcare Professionals
- July Oncology Grand Rounds ASH and ASTRO Updates For Healthcare Professionals
- MindCAN Mindfulness for Wellness Workshop For NCIS patients / caregivers
- Relax Your Mind Yoga Class For NCIS patients / caregivers
- World Head & Neck Day Stamping Out Head & Neck Cancer Public Forum For the Public

AUGUST

- August Oncology Grand Rounds High Quality Control In Clinical Trials For Healthcare Professionals
- August Oncology Grand Rounds Stereotactic Radiotherapy For Liver And Pancreatic Cancers For Healthcare Professionals
- August Oncology Grand Rounds The Art of Treatment Sequencing for Optimal Outcome in Gynaecological Cancers For Healthcare Professionals
- August Oncology Grand Rounds Value Driven Care For Healthcare Professionals
- Be in the PINK Education Series For NCIS patients / caregivers
- Caregivers in Cancer Basic Homecare Skills Training Programme For NCIS patients / caregivers
- Expressive Art Studio For NCIS patients / caregivers
- Gastric Cancer Campaign Nutrition Event For the Public
- Gastric Cancer Public Talk For the Public
- GP CME Talk Gastrointestinal Cancers For GPs / Family Physicians
- Look Good Feel Better Workshop For NCIS patients / caregivers
- MindCAN Mindfulness for Wellness Workshop For NCIS patients / caregivers
- Radiation Oncology Workshop Target Delineation For Healthcare Professionals
- Relax Your Mind Yoga Class For NCIS patients / caregivers

SEPTEMBER

- Be in the PINK Education Series For NCIS patients / caregivers
- ► Breast Cancer Awareness Month Activities @ Westgate For the Public
- Caregivers in Cancer Basic Homecare Skills Training Programme For NCIS patients / caregivers
- Expressive Art Studio For NCIS patients / caregivers
- September Oncology Grand Rounds Management Of VTE In Special Oncology Populations
 For Healthcare Professionals
- Relax Your Mind Yoga Class For NCIS patients / caregivers

OCTOBER

- Be in the PINK Education Series For NCIS patients / caregivers
- Breast Cancer Awareness Month Pink Ribbon Zumba Workout For Cancer Survivors
- Caregivers in Cancer Basic Homecare Skills Training Programme For NCIS patients / caregivers
- Expressive Art Studio
 For NCIS patients / caregivers
- GP CME Talk
 For GPs / Family Physicians
- Look Good Feel Better Workshop For NCIS patients / caregivers
- Roadshow at Public Health Screening 2017 For the Public

NOVEMBER

- Be in the PINK Education Series For NCIS patients / caregivers
- Caregivers in Cancer Basic Homecare Skills Training Programme For NCIS patients / caregivers
- Breast, Colorectal and Prostate Cancer Community Talk For the Public
- Expressive Art Studio For NCIS patients / caregivers
- Winning Against Cancer Public Symposium For the Public
- November Oncology Grand Rounds For Healthcare Professionals

DECEMBER

- Be in the PINK Education Series For NCIS patients / caregivers
- Caregivers in Cancer Basic Homecare Skills Training Programme For NCIS patients / caregivers
- Expressive Art Studio
 For NCIS patients / caregivers
- NCIS Celebrates Life Combined Support Group Year End Party For NCIS support group members

The events and programmes listed above are subject to change, please check our website at www.ncis.com.sg for the most updated information.



NCIS ON THE GO Bringing cancer care to you

More convenient locations for treatment and care, island-wide

Newly launched in 2017, the NCIS on the GO Programme offers more convenient locations for cancer treatment and care islandwide to our patients.

Care is provided by professional, trained oncology nurses and it is as safe as undergoing the procedures in the hospital.

For more information on the full list of services as well as the most updated satellite locations, visit www.ncis.com.sg.

MAIN SERVICES OFFERED

- Blood taking
- Injections
- Simple dressing
- Flushing / Care of central venous line
- Subcutaneous chemotherapy (selected treatments only)

PROGRAMME BENEFITS

- ✓ More convenient locations
- Avoid having to wait at the hospital
- Fewer visits to the hospital
- Receive treatment at home (for selected patients)

LIST OF SATELLITE LOCATIONS

- Boon Lay Wellness Centre
- Chua Chu Kang Community Centre
- Jurong Green Community Club
- Jurong Medical Centre
- Punggol Community Club
- Woodlands Recreational Centre Zone 9

Make an appointment today!

Call 6773 7888 or email CancerApptLine@nuhs.edu.sg

YOUR GIFT BRINGS HOPE TO MANY

Every year, the NCIS Cancer Fund provides financial assistance to more than 100 needy cancer patients. Your generous gift will also help us develop better methods to diagnose and treat the disease, improving the survival rates of cancer patients.

For further enquiries on making a donation, please call (65) 6773 7888 or email ncis@nuhs.edu.sg.





National University Cancer Institute, Singapore A member of the NUHS

Copyright 2017. All rights reserved. The National University Cancer Institute, Singapore (NCIS) shall not be held responsible in any way whatsoever for changes in information after the date of publication. All information is correct as of July 2017. 65) 6773 7888

773 7888

(65) 6777 4413

CancerApptLine@nuhs.edu.sg

www.ncis.com.sg

f www.facebook.com/NationalUniversityCancerInstituteSingapore

You Tube www.youtube.com/NCISNUHS